

TOSHIBA

Leading Innovation >>>

- > Color MFP
- > Up to 65 PPM Color
- > Up to 75 PPM B&W
- > Med/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > EPEAT Registered*



e-STUDIO™ 5560c/6560c/6570c



Insight Systems Ltd
w: www.insightsystems.co.uk
e: sales@insightsystems.co.uk
t: 01732 880600

* e-STUDIO6560c/6570c only.

Unmatched technology and precisely matched color.

Using 135 years of leading Toshiba technology, we constantly push the envelope in order to develop some of the most advanced products available. The new e-STUDIO6570c series from Toshiba is a perfect example. It boasts speeds up to 65 pages per minute showcasing vibrant, accurate color as well as speeds up to 75 pages per minute for precise black and white output. In addition, the latest generation e-BRIDGE platform provides impressive connectivity, manageability and solutions readiness.

Accurate color, time after time.

Imagine photographic presentations printing out just like the highest-quality photographs. Or, your corporate colors appearing just right, every time. As an Authorized Pantone Partner, we utilize our proprietary e-BRIDGE Color Profiler to closely match the widest array of Pantone colors. The e-STUDIO6570c series is the ultimate color scanner, copier and printer. Of course, that's just a portion of its functions, which reach far beyond the average MFP.

Networking made simple.

In addition to high quality color at up to 65 pages per minute, black and white printing is equally brilliant, and even faster – up to 75 pages per minute. The e-STUDIO6570c series also offers Gigabit connectivity, standard network scanning and printing as well as optional dual-line, high-volume Super Group 3 faxing. And, as new ideas and solutions become actual applications, the e-STUDIO6570c series is equipped to handle them. It's advanced technology and future innovation, wrapped into one.

- New Generation e-BRIDGE Platform
- Increased Security
- Banners Up to 12" x 47"
- Print Up to 13" x 19"
- 1,200 x 1,200 DPI Print
- 10.4" Color Touch Screen
- Print From/Scan To USB
- Print Around
- AquaAce Media Support



Print professional-looking, full-color newsletters and brochures using an optional saddle-stitch or staple finisher.



Print from and scan to USB device.

Multiple functions, multiple innovations and innumerable advantages.

Take a look at what the e-STUDIO6570c series has to offer. It's sure to meet your expectations and help you exceed your best projections.



Precise color

Toshiba is an Authorized Pantone Partner. Thanks to our advanced e-BRIDGE Color Profiler technology, Pantone and custom colors are extremely accurate.



Multiple color modes

Print in full color, two color, or one color – including black or any other specified color. And with 256 gradations, color transitions on photos and illustrations are smooth.



Auto calibration

The system periodically checks to ensure that colors remain consistent throughout long runs.



Broad paper handling

Use up to 140 lb. index with duplex support and up to 12" x 47" banner printing using AquaAce water & tear resistant paper.



Latest e-BRIDGE platform

This proprietary platform allows for improved connectivity, security and fleet management. Also, you can access third-party solutions such as PaperCut, DocuWare and others – right from the front panel.



High security

A 320GB FIPS 140-2 Certified SED (Self Encrypting Drive) with Automatic Data Invalidation and Data Overwrite are standard. Hard Copy Security is available as an option.



Reduced environmental impact

The e-STUDIO6570c series is RoHS Compliant, EPEAT Registered* (as part of the definitive global registry for greener electronics), and Energy Star Tier 2 rated.



Powerful performance

Up to 65 color pages and 75 monochrome pages per minute have first copy-out times as fast as 6.5 seconds and 4.6 seconds, respectively. A 100-sheet RADF lets you handle big jobs with ease.



User friendly

A large 10.4-inch touch screen panel can be positioned as needed and is easy to read. It includes a context sensitive help button if you happen to need immediate assistance.



Leading technology

Features include 2GB RAM, Gigabit Ethernet support, automatic paper size detection, e-filing and optional dual fax lines.



Mobile print and scan app

Now you can print from and scan to any mobile device, taking convenience to the next level.

Leading innovation has never looked better.

If you've been waiting to upgrade, there's never been a better reason than the e-STUDIO6570c series. Don't think of it as an MFP. Think of it as your business' central hub.

Increase functionality instantly.

The latest e-BRIDGE technology allows for simple, seamless integration with core business applications, multiple devices and various vendor solutions. With the e-BRIDGE Fleet Management System, you can manage your entire fleet more efficiently and effectively. New optional driver plug-ins increase functionality like never before. For instance, simply plug in Job Point and you can split large print jobs between as many as ten Toshiba MFPs. Job Separator performs batch printing from any Windows application. And, Job Build enables you to effortlessly print various document types together as a single set.

Power, performance and versatility.

Scan, copy and print with outstanding color clarity and exceptional text rendition at 1,200 x 1,200 dpi print resolution and 600 x 600 dpi scanning. The e-STUDIO6570c series has been designed for medium to large businesses in need of high-volume color printing as well as black and white. You can print 11" x 17" bleeds on 12" x 18" paper or 13" x 19" via bypass for true proofing support.

Banner printing capacity can produce impressive signage as large as 12" x 47" using our unique AquaAce media. High volumes are no problem, either, with a 6,000 or 4,760 maximum paper capacity. In short, the possibilities are endless.



TOSHIBA

Leading Innovation >>>

Outstanding safety, security and environmental responsibility.

As tight security and eco-consciousness become increasingly important, Toshiba keeps ahead of the game with leading innovation in both categories. We realize you can never play it too safe when it comes to your business and the environment.



Exceptional security guards.

At Toshiba, we work hard to develop innovative security features designed to keep your business right where it belongs. A 320GB FIPS 140-2 Certified SED (Self Encrypting Drive) with Automatic Data Invalidation and Data Overwrite are standard. Hard Copy Security is available as an option which prevents the unauthorized copying of important documents. Whatever level of security your business demands, the e-STUDIO6570c series can provide it.

Greener technologies.

TOSHIBA
eco style

In order to help you rest assured you're purchasing a product with a reduced environmental impact, the e-STUDIO6570c series is EPEAT Registered*, the definitive global registry for greener electronics. As part of this process, the series also meets the strict requirements of Energy Star Tier 2. At Toshiba, we work tirelessly to find new ways of improving performance while saving the environment.



* e-STUDIO6560c/6570c only.

e-STUDIO™5560c/6560c/6570c



- Color MFP
- Up to 65 PPM Color
- Up to 75 PPM B&W
- Med/Large Workgroup
- Copy, Print, Scan, Fax
- Secure MFP
- EPEAT Registered*

TOSHIBA
Leading Innovation >>>



Insight Systems Ltd
w: www.insightsystems.co.uk
e: sales@insightsystems.co.uk
t: 01732 880600

Specifications

| | |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Copying Process | 4-Drum Electrostatic Photographic Transfer System with Internal Transfer Belt |
| Copying Type | 4-Beam Color Laser (8 bit) |
| Copy/Print Resolution | 600 x 600 dpi/1200 x 1200 dpi |
| Copy/Print Speed | e-STUDIO5560c – 55 PPM Color / 55 PPM B&W e-STUDIO6560c – 65 PPM Color / 65 PPM B&W e-STUDIO6570c – 65 PPM Color / 75 PPM B&W |
| Warm-Up Time | Approx. 180 Seconds |
| First Copy Out Time | e-STUDIO5560c – 6.5 Seconds Color / 5.3 Seconds B&W e-STUDIO6560c – 6.5 Seconds Color / 5.3 Seconds B&W e-STUDIO6570c – 6.5 Seconds Color / 4.6 Seconds B&W |
| Duty Cycle | 225K / 250K / 275K Copies |
| Multiple Copying | Up to 9999 Copies |
| Acceptable Paper Size and Weight | Cassette: ST-R to 12" x 18" (17 lb Bond - 140 lb Index) Bypass: ST-R to 13" x 19" (17 lb Bond - 110 lb Cover) ST-R to 12" x 47" Banner (17 lb Bond - 110 lb Cover) |
| Memory | LCF: LT (17 lb Bond - 140 lb Index) Page + Main Memory: 2GB HD: 320GB FIPS 140-2 SED |
| Reduction/Enlargement | 25% to 400% |
| Bypass | 100-Sheet Bypass (17 lb Bond - 110 lb Cover) |
| Control Panel | 10.4" Color Super SVGA Tiltable LCD Touch Panel |
| Paper Supply | Up to 6,000-Sheet Input Capacity (Tandem Version + LCF) 4 Drawer Version: 4 x 540-Sheet Cassettes (2,160 Sheets) Tandem Version: 2 x 540-Sheet Cassettes + 2,320-Sheet LCF 100-Sheet Bypass Optional 1 x 2,500-Sheet LCF |
| Duplex | Standard Automatic Duplex Unit (17 lb Bond - 140 lb Index) |
| Dimensions | Approx. 38.6" x 27.5" x 60" (W x D x H) Weight Approx. 573 lb |
| CMYK Toner Yield | CMY: 29.5K, K: 77.4K |
| Power Supply | 120 V, 20 Amps |
| Power Consumption | Maximum 2.2 kW |

Print Specifications

| | |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------|
| PDL Support | PCL6 & PostScript 3 |
| Operating Systems | Netware 6.x, Windows XP, Windows Server 2003, 2008, Vista, Citrix MetaFrame, Macintosh, Linux, UNIX |
| Protocol Support | IPX/SPX, TCP/IP, V4/V6 Dual Stack, EtherTalk, AppleTalk PAP, NetBIOS Over TCP/IP, LPR/LPD, IPP, SMB, SNMP, Netware, Port 9100 |
| Drivers | Windows 2000, Server 2003/2008/2012, Windows 7, 8, Vista, XP, Macintosh OS 10.4/10.5/10.6/10.7/10.8/10.9) |
| Connectivity | UNIX, AS400 via iData & Port 9100, SAP R/3 10/100/1000BaseTX Ethernet, 802.11b/g/n |
| Device Management | Wireless LAN, USB |
| Certification | TopAccess Windows (XP, Vista, 7, 2003, 2008) (WHQL) Novell |

Scan Specifications

| | |
|-----------------|---------------------------------|
| Scan Resolution | Up to 600 dpi |
| Scan Speed | Up to 77 SPM Color / 77 SPM B&W |
| File Format | TIFF, PDF, JPEG, XPS |

Facsimile Specifications

| | |
|---------------------|------------------------------------------------------------|
| Compatibility | Super G3 |
| Data Compression | MH / MR / MMR /JBIG |
| Transmission Speed | Approx. 3 Seconds Per Page |
| Fax Modem Speed | 33.6 Kbps |
| Fax Memory | 500 MB Transmission, 200 MB Reception (HDD) |
| Memory Transmission | 100 Jobs, 1,000 Destinations Max. 400 Destinations /Job |
| Scan Speed | .7 Seconds Per Page, Maximum 50 SPM |

E-Filing Specifications

| | |
|-------------------|-------------------------------------------------------------------------|
| Operation Method | Color Touch Screen Control Panel or Client PC |
| Number of Boxes | 1 Public Box, 200 Private User Boxes |
| Capacity of Boxes | 100 Folders Per Box, 400 Documents Per Folder 200 Pages Per Document |

Security (Standard)

| | |
|-----------------|-----------------------------------------------------|
| Data Encryption | 256 Bit AES |
| HDD Overwrite | Meets Department of Defense (DoD) standard 5220.22M |
| Authentication | LDAP, SMTP, Windows Server Domain |

Accessories (Options)

Additional Paper Options

| | |
|---------------------------------------------------------|--------|
| Large Capacity Feeder (LCF): 2,500-Sheet Drawer, Letter | MP2501 |
|---------------------------------------------------------|--------|

Finishing Options

| | |
|-------------------------------------------------------------------|--------|
| Multi-Position Finisher Stationary Tray: 250-Sheets | MJ1103 |
| Finishing Tray: 3,000-Sheets | |
| Staple Capacity: 50 Sheets | |
| Saddle-Stitch Finisher Stationary Tray: 250-Sheets | MJ1104 |
| Finishing Tray: 3,000-Sheets | |
| Staple Capacity: 50 Sheets | |
| Saddle Tray Stitcher: Up to 50 Sets | |
| Side Exit Tray | KA6570 |
| Hole Punch Unit (for MJ1103/MJ1104) 2- or 3-Hole Punch Capability | MJ6102 |

Connectivity/Security Options

| | |
|---------------------------------|-----------|
| EFI Controller | GA1310EX |
| Fax Board | GD1270NXF |
| 2nd Line Fax | GD1260F |
| Wireless LAN Adapter | GN1060 |
| Wireless Antenna | GN3010 |
| IP SEC Enabler | GP1080 |
| Meta Scan Enabler for e-CONNECT | GS1010 |
| Advanced Scanning | GB1280T |
| Harness Kit for Coin Controller | GQ1200 |



Corporate Office

9740 Irvine Blvd., Irvine, CA 92618-1631

Tel: 949-462-6000

East Coast

959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700

Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

Tel: 773-380-6000

South

2037 Bakers Mill Rd., Dacula, GA 30019

Tel: 678-546-9385

West Coast

9740 Irvine Blvd., Irvine, CA 92618

Tel: 949-462-6000

Web Site

www.business.toshiba.com

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufacturer or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 6% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system.

© 2014 Toshiba America Business Solutions, Inc. Electronic Imaging Division
Inv. Code: 22246 5560c/6560c/6570c Brochure 6K PG 3/14

* e-STUDIO6560c/6570c only.