# HP Color LaserJet 4730xm mfp Discontinued



# Ordering Information

Commercial model number: Q7520A (ABA)

Canada model number: Q7520A (ABA)

### Sidebar

### In the box:

Print cartridge (1 each black, cyan, magenta, yellow) Power cord Control panel overlay Software and documentation on CD-ROM Getting started guide Information and training on CD Walk up wall poster Telephone support flyer HP LaserJet MFP Analog Fax Accessory 300 Phone cord Fax install guide 3-bin mailbox

#### Software:

Print drivers and installation (HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PostScript Printer Description, HP LaserJet Utility, Macintosh software)

**Standard warranty:** 

1 year warranty, Next Business Day Onsite

## Replaced By

HP Color CB480A LaserJet Compare CM4730 Multifunction Printer HP Color CB481A LaserJet Compare CM4730f **Multifunction** Printer HP Color CB482A LaserJet Compare CM4730fsk **Multifunction** Printer HP Color CB483A LaserJet Compare

Advanced color printing, copying and scanning with fax, digital sending, 500-sheet stapler/stacker and 3-bin mailbox (options vary by model).

Place the HP Color LaserJet 4730mfp series closer to your workgroups. Optimal access increases workgroup productivity, improves user satisfaction and reduces operating costs.

Avoid spending valuable time learning how to use or maintain this device with a familiar, intuitive control panel—which walks users through embedded digital sending functionality—and HP Smart technology. HP Web Jetadmin simplifies IT management.

Never let your device hold you back. This model delivers color output, multiple functionality, analog fax, a stapler/stacker (standard on 4730xs), a 3-bin mailbox (standard on 4730xm) and high input. Standard send to e-mail, send to shared network folder, and LDAP and Kerberos authentication along with additional optional digital sending functionality allow you to better enable worker productivity an



sending functionality allow you to better enable worker productivity and accommodate future growth.

Measure your savings over time with this MFP. Get high-performance, multiple functionality at a low purchase price and reduce your operating costs with cost-effective HP supplies, color access controls and built-in HP reliability.

# Compatible Operating Systems

## Standard Desktop

Windows 98	*
Windows 2000	*
Windows Me	*
Windows XP	*
Windows Server 2003	*
Windows Vista® Ready	*
Mac OS	Mac OS 9 and later, Mac OS X v 10.1 and later
Standard Network	
Windows XP/XP 64-bit	*
Windows Server 2003	*
NetWare	*
UNIX (HP-UX, Solaris)	*
Linux (Red Hat, SuSE)	*
Mac OS	*
Other	IBM AIX 3.2.5 and later, MPE-iX, Citrix MetaFrame, Windows Terminal Services
Optional Desktop/Network	
Optional Desktop/Network	OS/2, UNIX, HP OpenVMS

# Additional Information

<u>CM4730fm</u> Multifunction Printer

Sales	www.hp.com
	Data Sheet 4AA0-0588ENUC
	Print Sample 4AA0-3107ENUC
Third-party solutions	www.hpgsc.com
Reseller	http://hp.com/partners/us
Services	http://www.hp.com/go/services
Supplies and accessories	www.hp.com

# Brand Specifications


# PRINTER

Fax Blocking

AIO/MFP Functions	Color printing, color copying, color digital	
	sending, black and white faxing	
Print Speed Black, Letter:		
ISO/Best Quality	Up to 30 ppm <sup>1</sup>	
Print Speed Color, Letter:		
ISO/Best Quality	Up to 30 ppm <sup>1</sup>	
First Page Out	<13 sec	
Paper Trays, Std	4	
Paper Trays, Max	4	
Input Capacity, Std	1,600 sheets	
Input Capacity, Max	1,600 sheets	
Output Capacity, Std	700-sheet 3-bin mailbox	
Output Capacity, Max	700 sheets	
Envelope Input, Std	20	
Two-Sided Printing	Automatic (standard)	
Typefaces	80 internal TrueType fonts scalable in HP PCL	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	and HP PostScript Level 3 emulation; additiona	
	font solutions available via Flash memory	
Print Quality, Black Best	Up to 600 x 600 dpi	
Print Quality, Color Best	Up to 600 x 600 dpi	
Print Resolution Technology	HP ImageREt 3600	
Print Cartridges	4 (1 each black, cyan, magenta, yellow)	
Print Languages, Std	HP PCL 6, HP PCL 5c, HP PostScript Level 3	
Thin Languages, ora	emulation, direct PDF printing (v 1.4), PML	
	(Printer Management Language)	
SCANNER Scan Resolution, Enhanced	600 x 600 dpi	
Scan Resolution, Optical	Up to 600 dpi	
Grayscale Levels	256	
COPIER		
Copy Speed, Max, Black	Up to 30 ppm	
Copy Speed, Max, Color	Up to 30 ppm	
Copy Resolution, Black Text	Up to 600 x 600 dpi	
Copy Resolution, Black Graphics	Up to 600 x 600 dpi	
<b>Copy Resolution, Color Text And Graphics</b>		
Copier Settings	Scalability, contrast, background removal, sharpness, N- or Z-ordering, orientation	
Number Of Copies, Max	999	
Copier Reduce/Enlarge	25–400%	
AX		
Fax Speed	Up to 33.6 kbps <sup>₂</sup>	
Fax Resolution, Best	300 x 300 dpi	
PC Fax Interface	No	
Speed Dialing, Max Numbers	100 numbers	
Fax Forwarding	Yes	
Fax Blocking	Ves	

Yes

DIGITAL SENDING	
Digital Sending Features, Std	Embedded scan to e-mail, send to folder, LDAP and Kerberos authentication
Digital Sending Features, Opt	Optional via HP Digital Sending Software (HP DSS), secondary e-mail, send to folder, send to workflow, authentication, digital fax (send to LAN, Windows 2000, Internet)
Digital Sending File Formats	PDF, JPEG, TIFF, MTIFF
GENERAL	
Duty Cycle, Monthly	Up to 175,000 pages
Recommended Monthly Volume	2,500 to 10,000 pages
ADF Capacity	Standard, 50 sheets
Media Types	Paper (plain, preprinted, letterhead, prepunched, bond, recycled, color, light, intermediate, heavy, extra heavy, rough, glossy, heavy glossy, tough), transparencies, labels, envelopes, cardstock
Media Sizes, Std	Letter, legal, statement, executive, envelopes (No. 10, Commercial)
Media Sizes, Custom	3 x 5 in to 8.5 x 14 in, multipurpose tray; 5.8 x 8.3 in to 8.5 x 14 in, 500-sheet input trays; custom sizes not supported on automatic two- sided printing, optional 3-bin mailbox and stapling with the optional stapler/stacker
Connectivity, Std	Bidirectional IEEE-1284C parallel port, Hi-Speed USB 2.0, HP Jetdirect Fast Ethernet Embedded Print Server, 1 open EIO slot, Foreign Interface Harness, host USB accessory port
Connectivity, Opt	HP Jetdirect internal, external and wireless print servers
Memory, Std	320 MB (256 MB RAM and 64 MB fixed memory)
Memory, Max	512 MB
ENERGY STAR® Qualified	No
Mac Compatible	Yes
Dimensions (W x D x H)	43.5 x 25.2 x 45.4 in
Weight	298 lb
Shipping Dimensions	35.43 x 32.09 x 69.69 in
Shipping Weight	374.19 lb



# Accessories

#### HP Digital Sending Software

HP Digital Sending Software (T1936AA)

#### HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

#### **HP AutoStore**

HP AutoStore (T1943AA) (Discontinued)

#### Cables

IEEE 1284-Compliant Bidirectional Parallel, A-C, 3-Meter (C2946A) (Discontinued) IEEE 1284-Compliant Bidirectional Parallel, A-C, 10-Meter (C2947A) (Discontinued) USB Cable, A-B, 2-Meter (C6518A) (Discontinued)

#### Memory and mass storage

HP High Performance EIO Hard Disk (J6073G) DDR DIMM (200-pin): 128 MB (Q7721A) (Discontinued) DDR DIMM (200-pin): 256 MB (Q7722A) (Discontinued) HP 512 MB DDR 200-pin SDRAM DIMM (Q7723A)

#### Paper-handling accessories

HP Staple Cartridge Refill (C8091A) HP MFP Analog Fax Accessory (Q3701A) HP LaserJet MFP 500-sheet Stapler/Stacker (Q7521A) (Discontinued) HP LaserJet MFP 3-bin Mailbox (Q7523A) (Discontinued)

#### LaserJet font solutions

HP BarCode Printing Solution/Compact Flash (HG271FS) HP Blue Kit Full Color IPDS Emulation Flash Card (HG364FC)

# Compatible Supplies

#### HP LaserJet Cartridges and Kits

HP 644A Black Original LaserJet Toner Cartridge (Q6460A) HP 644A Cyan Original LaserJet Toner Cartridge (Q6461A) HP 644A Yellow Original LaserJet Toner Cartridge (Q6462A) HP 644A Magenta Original LaserJet Toner Cartridge (Q6463A)

# **Compatible Paper Products**

Top Recommended Papers

HP Premium Glossy Presentation Paper					
8.5 x 11 in	32 lb	250 sheets	<u>CG988A</u>		
HP Laser Matte Brochure Paper					
8.5 x 11 in	52 lb	100 sheets	<u>Q8824A</u>		
8.5 x 11 in	40 lb	150 sheets	Q6543A		

**HP Brochure and Presentation Papers** 

HP Premium Glossy Presentation Paper			
32 lb	250 sheets	<u>CG988A</u>	
hure Paper			
52 lb	100 sheets	Q8824A	
40 lb	150 sheets	Q6543A	
		0.004.04	
40 lb	150 sheets	<u>Q6612A</u>	
chure Paper			
52 lb	100 sheets	<u>Q6608A</u>	
40 lb	150 sheets	Q6611A	
	32 lb hure Paper 52 lb 40 lb fold Brochure Paper 40 lb chure Paper 52 lb	32 lb250 sheetshure Paper52 lb100 sheets40 lb150 sheetsfold Brochure Paper40 lb150 sheetschure Paper52 lb100 sheets	

HP Everyday Papers

HP Premium Choice Laser Paper					
8.5 x 11 in	32 lb	500 sheets	HPU1132		
HP LaserJet Paper					
8.5 x 11 in	24 lb	500 sheets	HPJ1124		

24 lb	2,500 sheets (5 reams)	<u>HPJ115R</u>
er		
22 lb	500 sheets	<u>HPT1122</u>
22 lb	2,500 sheets	<u>HPT115</u>
20 lb	500 sheets	HPM1120R
		HPM1120C
		HPM115RC
		HPM113H
2010	500 sheets	<u>HPM1420</u>
20 lb	2,500 sheets (5 reams)	HPC115RC
		HPC8511C
		HPC3HP
		HPC8514
20 lb	500 sheets	HPC8511R
20 lb	2,500 sheets	HP2500S
20 lb	500 sheets	HPE1120R
20 lb	5,000 sheets (10 reams)	HPE1120C
20 lb	500 sheets	HPBC11
nt Paper		
20 lb	500 sheets	HPA510
	er 22 lb 22 lb 22 lb 20 lb	er       22 lb       500 sheets         22 lb       2,500 sheets         20 lb       5,000 sheets         20 lb       5,000 sheets (10 reams)         20 lb       2,500 sheets (5 reams)         20 lb       500 sheets         20 lb       500 sheets (5 reams)         20 lb       500 sheets (5 reams)         20 lb       5,000 sheets (10 reams)         20 lb       5,000 sheets (10 reams)         20 lb       500 sheets         20 lb

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1. Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 2. Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.