

Ricoh Aficio SP 3500N/SP 3510DN



Discover the convenience of affordable network laser printing

Expect reliable everyday performance from your desktop printer, even when dealing with the unexpected. Choose the robust RICOH® Aficio® SP 3500N/SP 3510DN for high-quality monochrome output at minimal cost. With efficient 30 page-per-minute output speeds, a fast warm-up time and an easy-to-view 2-line tilting LCD control panel, these printers are excellent choices for corporate workgroups, small businesses, and home offices with 8.5" x 14" monochrome printing needs. A choice of manual or automatic duplexing plus Ricoh's ultra-reliable All-In-One print cartridge technology rounds out the Aficio SP 3500N/SP 3510DN rich feature set to easily meet the needs of cost-savvy businesses and professionals.

Value-driven performance

Take advantage of an affordable network laser printer that doesn't compromise power and efficiency. With its competitive hardware costs, rich feature set and high-duty cycle, this desktop printer can meet both challenging workflow and budget demands. Choose manual duplex with the SP 3500N or automatic duplex printing with the SP 3510DN to create two-sided business documents.



Cost-saving productivity

The Ricoh Aficio SP 3500N/SP 3510DN is designed for smaller, budget-conscious offices. It supports a maximum print resolution of 1200×1200 dpi when applications call for the best possible output quality. Print affordable, professional documents fast with print speeds of up to 30 pages-per-minute, a warm-up time of 20 seconds or less, and an 8-second first print speed ensuring near-instant readiness for fast turnaround on virtually any job.



User-friendly design

This small, compact printer makes a huge impact. It can be placed in any location, including on desktops, shelves, under counters and in other tight or restricted spaces. The front-facing design enables any user to quickly replace consumables and the tiltable LCD control panel makes it easy to view system status and access key functions quickly and easily.





Enhance productivity with a compact, easy-to-own printer that grows with your business

Adapt to every office demand

Business demands change. Choose the printer that can keep pace. The Ricoh Aficio SP 3500N/SP 3510DN comes equipped with a 250-Sheet Paper Tray to support a wider range of stock and paper sizes for greater flexibility and a 50-Sheet Bypass Tray that supports envelope printing to enhance in-house invoicing and mailing tasks. Expand paper capacity to up to 550 sheets by adding the optional 250-Sheet Paper Feed Unit to handle larger jobs and growing volumes.



Connect to your network

The standard USB 2.0 interface offers a direct connection to a single computer and a 10/100Base-TX Ethernet port provides connectivity for shared use in small workgroup environments. It features a powerful 295MHz controller and 64 MB RAM so multiple users can share the printer seamlessly with incredible speed and efficiency. It accommodates the latest Windows and Macintosh technology with support for PCL and PS3 emulation, as well as utilities for UNIX and Citrix distributed printing environments.



Manage and maintain with ease

The Ricoh Aficio SP 3500N/SP 3510DN offers intuitive management and easy-to-use functionality to ensure maximum productivity every day. Users can take advantage of the Ricoh Universal Printer Driver and Web Image Monitor to manage the device quickly, even from a remote location. Plus, All-In-One print cartridges — combining the drum and toner — can be replaced by any user to simplify consumables maintenance.



Ricoh Aficio SP 3500N/SP 3510DN

SYSTEM SPECIFICATIONS



General Specifications

Aficio SP 3500N Part # 406957 Aficio SP 3510DN Part # 406962 Configuration Desktop

Technology Laser beam scanning, electrophotographic

printing using dry mono-component toner

development

Control Panel 2-line tilting monochrome LCD Print Resolution 600 x 600 dpi, 1200 x 600 dpi, 1200 x 1200 dpi (@ 50% productivity)

Print Speed 30 pages-per-minute (Letter)

First Print Speed 8 seconds or less Warm-Up Time 20 seconds or less Recovery Time 15 seconds or less

from Energy Saver Mode

SP 3500N: Manual

SP 3510DN: Automatic (@ 50% productivity) Standard Paper Supply 250-Sheet Tray + 50-Sheet Bypass Tray Optional Paper Supply 250-Sheet Paper Feed Unit

Maximum Paper Capacity 550 sheets Output Capacity

Paper Sizes

125 sheets (face down)

Standard Paper Tray: Letter (8.5" x 11"), Legal (8.5" x 14"), Half Letter (5.5" x 8.5"), Executive (7.25" x 10.5"), F (8" x 13"), Folio (8.25" x 13"), Foolscap (8.5" x 13"), A4 (210 x 297 mm), A5 (148 x 210 mm),

A6 (105 x 148 mm); Custom Size: 3.9" x 5.8" to 8.5" x 14" (100 x 148 mm to 216 x 356 mm) Bypass Tray: Letter (8.5" x 11"), Legal (8.5" x 14"). Half Letter (5.5" x 8.5"). Executive (7.25" x 10.5"), A4 (210 x 297 mm), A5 (210 x 148 mm), A6 (105 x 148 mm); Envelopes: Com10, Monarch, C6, C5, DL: Custom Size: 3.6" x 5.8" to 8.5" x 14" (90 x 148 mm to 216 x 356 mm) Optional Paper Feed Unit: Letter (8.5" x 11"), Legal (8.5" x 14"), Half Letter (8.5" x 5.5"), A4 (210 x 297 mm), A5 (210 x 148 mm) When Duplexing (SP 3510DN only): Letter (8.5" x 11"), Legal (8.5" x 14"),

A4 (210 x 297 mm) Paper Weights Standard Paper Tray and Bypass Tray: 14 - 43 lb. Bond/90 lb. Index (52 - 162 g/m²)

Optional Paper Feed Unit: 16 - 28 lb. Bond

(60 - 105 g/m²)

When Duplexing (SP 3510DN only): 16 - 28 lb. Bond (60 - 105 g/m²)

Paper Types Standard Tray: Plain Paper, Recycled

Paper, Cardstock

Bypass Tray: Plain Paper, Recycled Paper, Envelopes, Cardstock, Labels Optional Paper Feed Unit: Plain Paper,

Recycled Paper

Dimensions (WxDxH) 14.57" x 15.43" x 10.41" (370 mm x 392 mm x 262 mm)

Weight (including SP 3500N: 25.8 lb. (11.7 kg) consumables) SP 3510DN: 28 lb. (12.7 kg) 110 - 120V, 60Hz

Power Requirements Power Consumption Maximum: 850W,

SP 3510DN: Energy Saver: less than 5W TEC Value 1.82 kWh/week (SP 3510DN) UL60950-1, FCC47 CFR, Chapter 1, Safety Regulations

Part 15, Class B

PCL/PS 3:80 fonts

Mac OS 10.4v or later;

Ricoh UNIX Filter

TCP/IP. IPE

Print Controller

295 MHz 64 MB RAM standard/maximum

Memory Standard Interfaces USB 2.0, Ethernet 10/100Base-TX Printer Languages/ PCL 5e¹, PCL 6, PostScript 3 emulation

Drivers Fonts

Network Protocols Operating Systems

Advanced Printer

Features²

Print Blank Page Software Utilities Embedded: Web Image Monitor, @Remote³ (limited support)

> driver, PS3 emulation driver, Printer Utility for Mac OS X (PPD) Available via Download from Website:

Provided on CD-ROM: PCL 6 emulation

Windows XP, Vista, 7, Server 2003, Server

Citrix MetaFrameXP, Citrix PresentationServer

3.0, 4.0 (32-bit only), 4.5, XenApp 5.0+;

Reduce/Enlarge Scaling, Locked Print,

Collate, Layout (N-up), Duplex, Front Cover Sheet, Mirror Image Print, Dithering, Toner

Saving, Watermark, User ID, User Code.

Rotate Print, Reverse Order Print, Do Not

2003/R2, Server 2008, Server 2008/R2

Ricoh Universal Printer Driver, Ricoh Device Manager NX, Device Option Utility for Citrix, Ricoh UNIX Filter

PCL 5e driver is not provided (controller can receive PCL 5e command from host). Varies by active PDL/Driver *Counter information only.

Hardware Accessories

Paper Feed Unit TK1080 - Part # 406496

Capacity 250 sheets

Paper Sizes Letter (8.5" x 11"), Legal (8.5" x 14"), Half Letter (5.5" x 8.5"), A4, A5 Paper Weights 16 - 28 lb. Bond (60 - 105 g/m²)

Dimensions 14.6" x 15.1" x 3.5'

(370 mm x 383 mm x 89 mm) Weiaht Less than 5.3 lb. (2.4 kg)

Consumables

Part # Yield Standard Yield All-In-One 406464 2,500 prints* Print Cartridge SP 3400LA 406989 High Yield All-In-One 6.400 prints* Print Cartridge SP 3500XA

*Declared yield values based on ISO/IEC 19752. Actual yields may vary based

on types of images printed and other factors

The Ricoh Aficio SP 3500N/SP 3510DN ships with a starter All-In-One print cartridge yielding 1,500 pages

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies

Warranty

The Ricoh Aficio SP 3500N/SP 3510DN is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase. Please refer to warranty documents shipped with the product for more details.





