

Color imageCLASS MFb34(dw/MFb32(dw

Multifunction, Color, Wireless Laser Printer

REVOLUTIONIZE TODAY'S WORKSPACE

- Includes Three-Year Limited Warranty supported by Canon's U.S. Based Service Support Network.
- Easily connect your mobile devices without a router using Wi-Fi® Direct Connection.
- Print at speeds of up to **19 pages per minute**,* with your first print in your hands in 12 seconds or less.**
- Single-Pass, two-sided scan—scans both sides of your document in a single pass. (MF634Cdw only)
- V² (Vivid and Vibrant) Color Technology produces high-quality prints by increasing image sharpness and color vibrancy.
- Print on-the-go with Canon PRINT Business,[†] Mopria[™]
 Print Service,^{††} Apple[®] AirPrint[®],^{†††} and Google Cloud Print[™].[▲]
- QR Code Connection allows you to easily pair your mobile device using the Canon PRINT Business app.⁺
- Navigate through all the features with the user-friendly, 5-inch, **Color Touch LCD Panel**.
- Eco-conscious, two-sided printing out of the box helps save paper and related cost.
- Easily print from, and scan to, your **USB flash drive** in JPEG, TIFF, and PDF formats.
- Low energy consumption; uses less than 1 W in Sleep, Energy Saver Mode.
- Hi-Capacity Toner Options keep up with your printing needs and limit toner replacement interruptions.





V² COLOR







Single-Pass 2-Sided Scan (MF634Cdw only) Note: See back page for disclaimers.



ADVANCED TECHNOLOGIES FOR YOUR HOME OR OFFICE

Speed and Versatility

The MF634Cdw/MF632Cdw models deliver high-speed, color and black-and-white output up to 19 ppm* to help keep your business running. With paper capacity of up to 151 sheets, ** one sheet manual feed slot, and a monthly duty cycle of up to 30,000 pages per month, the MF634Cdw/ MF632Cdw give your business the versatility it needs.

Print On-the-Go

Print a variety of file types, Web pages, and images onthe-go with Canon PRINT Business,[†] Mopria[™] Print Service,^{††} Apple[®] AirPrint[®],^{†††} and Google Cloud Print[™] using your compatible mobile device. You can also scan hard-copy originals using Canon PRINT Business. For more information on Canon supported apps and compatibility, please visit https://www.usa.canon.com/mobile-app.



Color Touch LCD Panel

The intuitive, customizable, 5-inch, Color Touch LCD Panel allows you to easily navigate through the menu. The wide-screen display is user friendly, helping you to complete tasks more quickly.



Service and Support

When it comes to support for your business, value and quality are top priority. Your business requires a strong commitment to reliability and peace of mind that comes from



top-level expertise and pride in delivering complete customer satisfaction. From cutting edge technology to industryleading response times, Canon's award-winning, U.S.based, friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience. The MF634Cdw/MF632Cdw comes with a three-year limited warranty, giving you the support, peace of mind and value your business thrives on.

GENUINE Toner Cartridges

Designed by Canon engineers and manufactured in Canon facilities, GENUINE supplies are developed using precise specifications, so you can be confident that your Canon device will produce high-quality results consistently. The MF634Cdw/ MF632Cdw offers Hi-Capacity toner options that keep up with your busy printing needs, so you have less replacement efforts and more time. Canon S-Toner produces a highly detailed toner image, helps ensure a precise transfer performance, and eliminates the need to use oil during fixing. The Single-Cartridge System combines the toner and drum into the same unit, which means you only have one consumable to replace.

Image Quality

Achieve high-quality printing and sharp, vibrant colors with V² (Vivid and Vibrant) Color Technology. This technology expands the color gamut of dark areas and shadows, in particular, for greater sharpness and detail.





FunctionsImage: Second sec	Print/Scan/Copy/Fax /PC Fax MF628Cw Up to 19 ppm* (1-sic Up to 11.3 ppm* (2-si USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for down) PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 30,000 200-2, IP/MAC ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 14-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit O Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con	CIFICATIONS Print/Scan/Copy MF624Cw led, plain paper, Letter) ded, plain paper, Letter) Ethernet (Network), 802.11 b/g/n Wireless* D12/2008 R2/2008, Windows Vista*, Mac* OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")^▲ 43 lb. Bond) (3" x 5" to 8.5" x 14")▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{+†} Apple* AirPrint*, ^{+††} Google Cloud Print*** FCIFICATIONS 7 Seconds* (Letter) .8 Seconds* (Letter) .00 x 600 dpi Levels 999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) <
ReplacesImage: space sp	MF628Cw Up to 19 ppm* (1-sic Up to 11.3 ppm* (2-si USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for downl PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 150 Sheets) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 600 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit O Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con	MF624Cw led, plain paper, Letter) ded, plain paper, Letter) Ethernet (Network), 802.11 b/g/n Wireless* 012/2008 R2/2008, Windows Vista*, Mac* OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive .Bond) (3" x 5" to 8.5" x 14")▲ .43 lb. Bond) (3" x 5" to 8.5" x 14")▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ¹⁺ Apple* AirPrint*, ¹⁺⁺ Google Cloud Print [™] ECIFICATIONS 7 Seconds* (Letter) 8 Seconds* (Letter) 8 Seconds* (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Print Speeds Default Print Mode: Two-sided) Connectivity Dperating Systems Paper Types Standard Cassette Multipurpose Tray Platen Size Automatic Document Feeder (ADF) Dutput Tray Duplex Duty Cycle Recommended Monthly Print Volume (RMPV) Security First-Print Time Printer Language Print Resolution Print Features Print Memory Mobile Print First-Copy Time Copy Resolution Halftones Max. Number of Copies Copy Features Copy Memory Scan Type Scan Speed Scan Resolution Dutput File Formats Scan Features Scan Features Scan Features	Up to 19 ppm* (1-sic Up to 11.3 ppm* (2-si USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for downl PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SD Black/Color: 12 Sec Up to 600 x 600 dpi Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria™ Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB	Ided, plain paper, Letter) ded, plain paper, Letter) Ethernet (Network), 802.11 b/g/n Wireless* D12/2008 R2/2008, Windows Vista*, Mac* OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")** 43 lb. Bond) (3" x 5" to 8.5" x 14")** 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple* AirPrint*, ^{†††} Google Cloud Print™ [▲] ECIFICATIONS 7. Seconds* (Letter) 8. Seconds* (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Default Print Mode: Two-sided) connectivity Operating Systems Paper Types itandard Cassette Aultipurpose Tray Platen Size Automatic Document Feeder (ADF) Dutput Tray Duplex Dutput Tray Dutput Tray Dutput Tray Security Gecurity Security Security <tr< td=""><td>Up to 11.3 ppm* (2-si USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for down) PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SD Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business,[†] Mopria™ Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Spent, 14 Color: Spent, 14 Color: Spent, 14 Color: Spent, 14 Color: Contact Image Sensor (CIS); 24-bit C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con</td><td>ded, plain paper, Letter) Ethernet (Network), 802.11 b/g/n Wireless* D12/2008 R2/2008, Windows Vista*, Mac* OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice,^{+†} Apple* AirPrint*,^{+††} Google Cloud Print[™] ECIFICATIONS 7 Seconds* (Letter) 8 Seconds* (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS</td></tr<>	Up to 11.3 ppm* (2-si USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for down) PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SD Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria™ Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Spent, 14 Color: Spent, 14 Color: Spent, 14 Color: Spent, 14 Color: Contact Image Sensor (CIS); 24-bit C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con	ded, plain paper, Letter) Ethernet (Network), 802.11 b/g/n Wireless* D12/2008 R2/2008, Windows Vista*, Mac* OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{+†} Apple* AirPrint*, ^{+††} Google Cloud Print [™] ECIFICATIONS 7 Seconds* (Letter) 8 Seconds* (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Connectivity Operating Systems Paper Types Standard Cassette Aultipurpose Tray Platen Size Automatic Document Feeder (ADF) Output Tray Duplex Duty Cycle Recommended Monthly Print Volume (RMPV) Security First-Print Time Printer Language Print Resolution Print Features Print Memory Mobile Print First-Copy Time Copy Resolution Halftones Max. Number of Copies Copy Features Copy Features Copy Memory Scan Type Scan Speed Scan Resolution Dutput File Formats Scan Features Scan Features	USB 2.0 Hi-Speed, 10/100/1000 Base-T Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for downl PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to 500 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria™ Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB	Ethernet (Network), 802.11 b/g/n Wireless* D12/2008 R2/2008, Windows Vista®, Mac® OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")** 43 lb. Bond) (3" x 5" to 8.5" x 14")** 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™ ECIFICATIONS 7 Seconds [•] (Letter) 8 Seconds [•] (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Operating Systems Apper Types itandard Cassette Multipurpose Tray Platen Size Mutomatic Document Feeder (ADF) Putput Tray Putput File Formats Putput File Formats Putput File Formats	Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2 (Drivers available for down) PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Approx. 13 Color: Sp Scanner St Color Contact Image Sensor (CIS); 24-bit O Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con	D12/2008 R2/2008, Windows Vista®, Mac® OS 10.7.5 or Later oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")▲▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ¹⁺ Apple® AirPrint®, ^{1+†} Google Cloud Print [™] ▲ ECIFICATIONS 7. Seconds [●] (Letter) .8 Seconds [●] (Letter) .8 Seconds [●] (Letter) .99 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
aper Types itandard Cassette Aultipurpose Tray laten Size uutomatic Document Feeder (ADF) Dutput Tray Duplex luty Cycle tecommended Monthly Print Volume (RMPV) iecurity iirst-Print Time rint Resolution rint Resolution rint Features rint Memory Aobile Print iirst-Copy Time iopy Resolution lalftones fax. Number of Copies iopy Memory ican Type ican Resolution Dutput File Formats ican Features ican type ican Features ican type ican Features ican type ican Features ican type ican type ican type	(Drivers available for downl PAPER Letter, Legal, A4, A5, •• Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 One-Sheet Manual Feed Slot (14 Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Sp ScanNER S Color Contact Image Sensor (CIS); 24-bit (0 Black and White: 25 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	oad from www.usa.canon.com) HANDLING B5, Statement, Executive Bond) (3" x 5" to 8.5" x 14")▲▲ 43 lb. Bond) (3" x 5" to 8.5" x 14")▲▲ 8.5" x 11" 43 lb. Bond) (3" x 5" to 8.5" x 14")▲▲ 8.5" x 11" 5implex ADF (50 Sheet) s (face-down) Frint Pages Per Month Print Pages Per Month Print Pages Per Month S00 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{1†} Apple® AirPrint®, ^{1††} Google Cloud Print™▲ ECIFICATIONS 7 Seconds® (Letter) 8 Seconds® (Letter) 90 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
tandard Cassette Aultipurpose Tray Iaten Size uutomatic Document Feeder (ADF) Putput Tray Putput File Formats <td< td=""><td>Letter, Legal, A4, A5, • Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business,[†] Mopria[™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con</td><td>B5, Statement, Executive .Bond) (3" × 5" to 8.5" × 14")▲▲ .43 lb. Bond) (3" × 5" to 8.5" × 14")▲▲ 8.5" × 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 × 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice,^{††} Apple® AirPrint®,^{†††} Google Cloud Print™▲ ECIFICATIONS .7 Seconds• (Letter) .8 Seconds• (Letter) .8 Seconds• (Letter) .99 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS</td></td<>	Letter, Legal, A4, A5, • Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	B5, Statement, Executive .Bond) (3" × 5" to 8.5" × 14")▲▲ .43 lb. Bond) (3" × 5" to 8.5" × 14")▲▲ 8.5" × 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 × 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS .7 Seconds• (Letter) .8 Seconds• (Letter) .8 Seconds• (Letter) .99 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
itandard Cassette Aultipurpose Tray Platen Size Automatic Document Feeder (ADF) Dutput Tray Duplex Dutput Tray Security Dutput Tray Dutput Tray Dutput Tray Dutput Tray Dutput Tray Dutput Tray Dutput File Formats Can Peatures Can Features Can Tope Endures Can Features <	Letter, Legal, A4, A5, • Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	B5, Statement, Executive .Bond) (3" × 5" to 8.5" × 14")▲▲ .43 lb. Bond) (3" × 5" to 8.5" × 14")▲▲ 8.5" × 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 × 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS .7 Seconds• (Letter) .8 Seconds• (Letter) .8 Seconds• (Letter) .99 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
itandard Cassette Aultipurpose Tray Platen Size Automatic Document Feeder (ADF) Dutput Tray Duplex Dutput Tray Security Secopy Teatures	Up to 150 Sheets (14-43 lb One-Sheet Manual Feed Slot (14 Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secure PRINTER SI Black/Color: 12 Sec U Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF, Con	Bond) (3" x 5" to 8.5" x 14")▲ -43 lb. Bond) (3" x 5" to 8.5" x 14")▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS .7 Seconds [●] (Letter) .8 Seconds [●] (Letter) .8 Seconds [●] (Letter) .90 x 600 dpi Levels .99 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Aultipurpose Tray Platen Size Nutput Tray Dutput Tray Security Security Dutput Tray Dutput Tray Security Secury Security <	One-Sheet Manual Feed Slot (14 Up to Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 256 Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	43 lb. Bond) (3" x 5" to 8.5" x 14") ▲ 8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{1†} Apple® AirPrint®, ^{1††} Google Cloud Print [™] ECIFICATIONS 7 Seconds [•] (Letter) 8 Seconds [•] (Letter) 9 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Platen Size Platen SizePlaten SizePlaten SizePlaten SizePlaten SizePlaten SizePlaten SizeP	Up to Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SI Black/Color: 12 Sec U Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit C Black and White: 25 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	8.5" x 11" Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ¹⁺ Apple® AirPrint®, ¹⁺⁺ Google Cloud Print [™] ECIFICATIONS 7 Seconds [•] (Letter) 8 Seconds [•] (Letter) 9 Sopoies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Automatic Document Feeder (ADF) Dutput Tray Duty Cycle Recommended Monthly Print Volume (RMPV) Security Security First-Print Time Print Resolution Print Resolution Print Memory Mobile Print First-Copy Time Copy Resolution Halftones Max. Number of Copies Copy Memory Scan Type Scan Speed Scan Resolution Dutput File Formats Scan Features Scan To-Email	Duplex ADF (50 Sheet) 100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secure PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	Simplex ADF (50 Sheet) s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ¹⁺ Apple® AirPrint®, ¹⁺⁺ Google Cloud Print [™] ECIFICATIONS 7 Seconds [•] (Letter) 8 Seconds [•] (Letter) 9 Seconds [•] (Letter) 1. Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Dutput Tray Dutput Tray Dutplex Duty Cycle Recommended Monthly Print Volume (RMPV) Gecurity First-Print Time Printer Language Print Resolution Print Features Print Memory Mobile Print Gerst-Copy Time Copy Resolution Halftones Max. Number of Copies Copy Features Copy Memory Gerst Type Gera Type Gera Resolution Dutput File Formats Gera To-Email	100 Sheet Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	s (face-down) Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{1†} Apple® AirPrint®, ^{1††} Google Cloud Print™▲ ECIFICATIONS 7 Seconds• (Letter) 8 Seconds• (Letter) 9 Seconds• (Letter) 1 Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Duplex Duty Cycle Recommended Monthly Print Volume (RMPV) Print Features Print Features Print Resolution Print Memory Mobile Print September 2 Resolution Patters September 2 Septe	Print/Scan/Copy/Fax Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 28 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	Print Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{1†} Apple® AirPrint®, ^{1††} Google Cloud Print™▲ ECIFICATIONS 7 Seconds• (Letter) 8 Seconds• (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Juty Cycle Lecommended Monthly Print Volume (RMPV) Jeccurity irst-Print Time irinter Language trint Resolution trint Features trint Memory Mobile Print Gopy Resolution lalftones Max. Number of Copies Jopy Memory Jopy Memory Joint File Formats Joan Features Joint File Formats Joan To-Email	Up to 30,000 200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Securi Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 256 Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	Pages Per Month 500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7 Seconds [●] (Letter) 8 Seconds [●] (Letter) 10 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
ecommended Monthly Print Volume (RMPV) ecurity ecurity irst-Print Time rinter Language rint Resolution rint Features rint Memory Mobile Print irst-Copy Time ropy Resolution laiftones fax. Number of Copies ropy Features ropy Memory ropy Memory ropy Memory ropy Addition ropy Addition ropy Addition ropy Resolution ropy Features ropy Memory ropy Addition ropy Addition ropy Addition ropy Addition ropy Addition ropy Features ropy Memory ropy Addition ropy Addition ropy Addition ropy Addition ropy Addition ropy Addition ropy Features ropy Memory ropy Addition ropy Features ropy Addition ropy Features ropy Addition rop	200-2, IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secur- PRINTER SJ Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	500 pages (HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** IFR II 1200 x 1200 dpi Quality is (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS 7. Seconds® (Letter) 8. Seconds® (Letter) 100 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
iecurity irst-Print Time irinter Language irint Resolution irint Features irint Memory Mobile Print irist-Copy Time icopy Resolution lalftones Max. Number of Copies icopy Features icopy Memory ican Type ican Speed ican Resolution Dutput File Formats ican Features ican-to-Email	IP/MAC Address Filtering, SNMPv3, SSL WPA-PSK (TKIP/AES), WPA2-PSK (AES), Securi Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [↑] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	(HTTPS / IPPS), IEEE802.1x, WEP 64/128 bit, a Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** IFR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS 7. Seconds® (Letter) 8. Seconds® (Letter) 100 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
irst-Print Time rinter Language rint Resolution rint Features rint Memory lobile Print lirst-Copy Time opy Resolution lalftones lax. Number of Copies opy Features opy Memory can Type can Speed can Resolution lutput File Formats can Features can-to-Email	WPA-PSK (TKIP/AES), WPA2-PSK (AES), Securi PRINTER SI Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode I GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	e Print, Department ID Management (up to 300 IDs) PECIFICATIONS onds or Less (Letter)** IFR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7 Seconds [●] (Letter) 8 Seconds [●] (Letter) 10 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
rinter Language rint Resolution rint Features rint Memory lobile Print	PRINTER SI Black/Color: 12 Sec Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode I GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on I GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	PECIFICATIONS onds or Less (Letter)** FR II 1200 × 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS 7. Seconds® (Letter) 8. Seconds® (Letter) 100 × 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
rinter Language rint Resolution rint Features rint Memory lobile Print	Black/Color: 12 Sec U Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode I GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on I GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	onds or Less (Letter)** FR II 1200 × 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7. Seconds [●] (Letter) 8. Seconds [●] (Letter) 10 × 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
rinter Language rint Resolution rint Features rint Memory lobile Print	Up to 600 × 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria™ Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 60 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 × 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	FR II 1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7. Seconds [●] (Letter) 8. Seconds [●] (Letter) 10 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
rint Resolution rint Features rint Memory Mobile Print irst-Copy Time irst-Copy Time inst-Copy Time inst-Copy Resolution lalftones Max. Number of Copies inopy Features inopy Features inopy Memory inter Second Sec	Up to 600 x 600 dpi, Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	1200 x 1200 dpi Quality s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7. Seconds® (Letter) 8. Seconds® (Letter) 10 x 600 dpi Levels 1999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Print Features Print Memory Mobile Print Sirst-Copy Time Sirst-Copy Time Sopy Resolution Ialftones Max. Number of Copies Sopy Features Sopy Memory Sican Type Sican Resolution Dutput File Formats Sican reatures Sican Features	Print from USB Flash Drive (JPEG, TIFF, PDF), Print Mode 1 GB Canon PRINT Business, [↑] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	s (Poster, Booklet, Watermark, Toner Saver, Page Composer) (Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™▲ ECIFICATIONS 7. Seconds® (Letter) 8. Seconds® (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Abbile Print Abbil	1 GB Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	(Shared) ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print ^{™▲} ECIFICATIONS 7. Seconds [•] (Letter) 8. Seconds [•] (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Mobile Print Abbile Print Sirst-Copy Time Sopy Resolution Ialftones Max. Number of Copies Sopy Features Sopy Memory Sican Type Sican Speed Sican Resolution Dutput File Formats Sican Features Sican Features	Canon PRINT Business, [†] Mopria [™] Print Serv COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Color Contact Image Sensor (CIS); 24-bit (C Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	ice, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print [™] ▲ ECIFICATIONS 7. Seconds [●] (Letter) 8. Seconds [●] (Letter) 10 x 600 dpi Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
irst-Copy Time iopy Resolution lalftones Max. Number of Copies iopy Features iopy Memory ican Type ican Speed ican Resolution butput File Formats ican Features ican Features ican to-Email	COPIER SP Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	ECIFICATIONS .7 Seconds [•] (Letter) .8 Seconds [•] (Letter) .0 x 600 dpi Levels .999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
can Resolution can Features can Features can -to-Email	Black: Approx. 11 Color: Approx. 13 Up to 60 256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	.7 Seconds [•] (Letter) .8 Seconds [•] (Letter) .0 x 600 dpi . Levels .999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
ican Type ican Speed ican Resolution Dutput File Formats ican-to-Email	Color: Approx. 13 Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit 0 Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	.8 Seconds [•] (Letter) 00 x 600 dpi Levels 999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Copy Resolution dalftones dast Number of Copies Copy Features Copy Memory Gran Type Gran Speed Gran Resolution Dutput File Formats Gran Features Gran-to-Email	Color: Approx. 13 Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit 0 Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	.8 Seconds [•] (Letter) 00 x 600 dpi Levels 999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Alaftones Ax. Number of Copies Ax. Number of Copies Copy Features Copy Memory Comparison	Up to 60 256 Up to 5 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit 0 Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	00 x 600 dpi Levels 999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Alaftones Ax. Number of Copies Ax. Number of Copies Copy Features Copy Memory Comparison	256 Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	Levels 199 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
Aax. Number of Copies Copy Features Copy Memory Composition Compos	Up to 9 Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 28 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	999 Copies -1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
opy Features opy Memory can Type can Speed can Resolution Output File Formats can Features can-to-Email	Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on 1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 28 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	-1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo) (Shared) PECIFICATIONS
icopy Memory Events and a second seco	1 GB SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	(Shared) PECIFICATIONS
ican Type ican Speed ican Resolution Dutput File Formats ican Features ican-to-Email	SCANNER S Color Contact Image Sensor (CIS); 24-bit (Black and White: 26 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	PECIFICATIONS
ican Speed Can Resolution Dutput File Formats Can Features Can-to-Email	Color Contact Image Sensor (CIS); 24-bit (Black and White: 2& Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	
ican Speed Can Resolution Dutput File Formats Can Features Can-to-Email	Black and White: 28 Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	
ican Resolution Dutput File Formats ican Features ican-to-Email	Up to 600 x 600 dpi (optical); Up to 960 JPEG, TIFF, PDF, PDF Con	
Dutput File Formats Gran Features Gran-to-Email	JPEG, TIFF, PDF, PDF Con	
Scan Features Scan-to-Email		
Scan-to-Email		
		an-to-USB Flash Drive (PDF, JPEG, TIFF)
Scan-to-SMB		Yes
		Yes
	FAX SPE	CIFICATIONS
Nodem Speed	Up to 33.6 Kbps (Super G3)***	
ax Resolution	Up to 400 x 400 dpi (ultra-fine)	
ax Memory	Up to 512 Sheets*	
/	19 One-Touch Speed Dials (Favorites), 262 Coded Dials	1
iroup Dialing	199 Destinations	
equential Broadcasting	310 Destinations	IV A
	Fax Forwarding, Dual Access, Remote Reception, PC Fax	1
(TX	(only), Distinctive Ring Pattern Detection, Error Detection	
ax realures	Mode, Auto Redial, Fax Activity/Activity Result/Activity	
	Management Reports	
	GENERAL S	PECIFICATIONS
limensions	17.8" (W) × 18	I.1" (D) x 15.7" (H)
Veight	17.8" (W) × 18.1" (D) × 15.7" (H) 44 lb. (w/o CRG); 48.4 lb. (w/CRG)	
ackage Weight	Approx. 63.8 lb.	
Varranty	Three-Year Limited Exchange/Carry-in ** (Extended warranty available)	
		ry-in ** (Extended warranty available)
	Three-Year Limited Exchange/Car	
ypical Energy Consumption (TEC)	Three-Year Limited Exchange/Car ENVIRONMENT/	AL SPECIFICATIONS
	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.1	AL SPECIFICATIONS
	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.1 Operation: Approx. 340 W; Standby: Approx. 12.8 W; End	AL SPECIFICATIONS 5 kWh ergy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless)
ower Consumption	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.1 Operation: Approx. 340 W; Standby: Approx. 12.8 W; End Operation: 49 dB (sound p	AL SPECIFICATIONS 5 kWh argy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power);
ower Consumption	Three-Year Limited Exchange/Car ENVIRONMENT/ 0. Operation: Approx. 340 W; Standby: Approx. 12.8 W; End Operation: 49 dB (sound p Standby: Inaudil	AL SPECIFICATIONS 5 kWh ergy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ple (sound pressure)
ower Consumption loise Level*** INERGY STAR	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.1 Operation: Approx. 340 W; Standby: Approx. 12.8 W; End Operation: 49 dB (sound p Standby: Inaudit	AL SPECIFICATIONS 5 kWh argy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ple (sound pressure) Yes
ower Consumption loise Level*** ENERGY STAR	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.1 Operation: Approx. 340 W; Standby: Approx. 12.8 W; End Operation: 49 dB (sound p Standby: Inaudit	AL SPECIFICATIONS 5 kWh ergy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ple (sound pressure)
Power Consumption Noise Level*** ENERGY STAR	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.: Operation: Approx. 340 W; Standby: Approx. 12.8 W; En Operation: 49 dB (sound p Standby: Inaudit	AL SPECIFICATIONS 5 kWh argy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ple (sound pressure) Yes
Power Consumption Noise Level*** ENERGY STAR EPEAT	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.: Operation: Approx. 340 W; Standby: Approx. 12.8 W; En Operation: 49 dB (sound p Standby: Inaudit	AL SPECIFICATIONS 5 kWh ergy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ole (sound pressure) Yes illver
Power Consumption	Three-Year Limited Exchange/Car ENVIRONMENT/ 0.: Operation: Approx. 340 W; Standby: Approx. 12.8 W; Enc Operation: 49 dB (sound p Standby: Inaudil S WHAT COM	AL SPECIFICATIONS 5 kWh ergy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ressure) 64 dB (sound power); ole (sound pressure) Yes ilver EIN THE BOX

Color imageCLASS M F 6 3 4 C d w / M F 6 3 2 C d w



MF634Cdw shown

Color imageCLASS MF634Cdw/MF632Cdw and Accessories

Color imageCLASS MF634Cdw	1475C005
Color imageCLASS MF632Cdw	1475C011
Cartridge 045 Black - Full Yield Cartridge; 1,400 Sheets ISO/IEC	1242C001
Cartridge 045 Cyan - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1241C001
Cartridge 045 Magenta - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1240C001
Cartridge 045 Yellow - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1239C001
Cartridge 045 Hi-Capacity Black - Full Yield Cartridge; 2,800 Sheets ISO/IEC	1246C001
Cartridge 045 Hi-Capacity Cyan - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1245C001
Cartridge 045 Hi-Capacity Magenta - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1244C001
Cartridge 045 Hi-Capacity Yellow - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1243C001
PDF Security-E1	9594B001

Footnotes

- Copy/print speeds are measured based on internal testing using letter size paper copied/printed with 100% copy/print ratio to original on one-sided paper. Internal testing involved continuously copying/ printing the same one page of content on plain paper (copy speed is tested by copying on the platen glass). Copy/print speeds may vary depending on paper type, paper size or paper feeding direction. The device may automatically pause or slow down in order to adjust printer condition such as controlling temperature of a certain unit or limiting impact to image quality during continuous copying/printing.
- ** May vary depending on the output environment.
- ** May vary depending on the output environment.
 * Canon PRINT Business is available free on the App Store[®] and Google Play Store; compatible with iPhone 6 Plus, iPhone 5, iPhone 5C, iPhone 5C, iPhone 4S, iPhone 4, iPad Air 2, iPad Air, iPad 4, iPad 3, iPad 2, Original iPad, iPad mini, iPad mini attina, iPad mini 3 running iOS 7.0 80. Supports Android Tablets and Phones running OS 4.0 5.0. Canon PRINT Business combines the functions of Canon Mobile Printing and Canon Mobile Scanning for Business apps into one, streamlining both apps and adds new features and functionality for users of all types, from small or home offices to large enterprise offices. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business. Levers who have installed Canon Mobile Scanning for Business should install Canon PRINT Business. Levers who have installed Canon Mobile Scanning for Business and install Canon PRINT Business. After Canon PRINT Business is installed, users can reregister their Canon Mobile Scanning for Business device list and local documents.
- ** Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 5.0 smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printermust be connected to the same network

Exchange/Carry In eCarePAKs:

Tier 2E One-Year eCarePAK	5707B042
Tier 2E Two-Year eCarePAK	5707B043

- *** Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print[™] function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update. ▲ Based on 20 lb. Bond paper.
- Wireless performance may vary based on terrain/distance between printer and wireless network clients.
- •• A5 paper is supported in Simplex mode only.
- Letter-sized, after being restored from Energy Saver mode.
- Based on Letter-sized scanning at 300 x 300 dpi.
- The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
- Based on ITU-T #1 Chart (standard mode).
- ++ Warranty program is subject to certain conditions and restrictions. See the warranty card for details. ◆◆◆ Declared noise emission in accordance with ISO 9296



Wi-Fi® is a registered trademark of the Wi-Fi Alliance®. The Wi-Fi CERTIFIED™ Logo is a certification mark of the Wi-Fi Alliance. As an ENERGY STAR partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, the GENUINE Logo, and the Super G3 logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc. iPhone, iPad Air, iPad, iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2017 Canon U.S.A., Inc. All rights reserved.

0204W320 0317-MF634Cdw/MF632Cdw-1.5M-PFIH



