Canon

imageCLASS

B&W LASER PRINTERS



Three black & white, multifunction laser printer options designed for small and home offices. All three produce exceptional quality outputs at speeds of up to **30 pages per minute**², with your first letter-size print in approximately **5.1 seconds**², and can print wirelessly.³

Printer Copier Scanner

imageCLASS

	M F 2 b 2 d w II	M F 2 6 4 d w 11	MF267dw II
Functions	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan, Fax
Connectivity	Wi-Fi, USB, Ethernet		
Auto 2-Sided Printing Capability	Yes		
Auto Sheet Feeder (ADF)	None Up to 35 sheets of letter-sized plain paper		

imageCLASS

imageCLASS

to Sheet Feeder (ADF)	None	Up to 35 sheets of letter-sized plain paper	
Scanner Type	Flatbed	Flatbed + ADF	
Paper Capacity	250-Sheet Paper Cassette, 1-Sheet Multipurpose Tray		
Black Toner Cartridge Options	Standard Cartridge 051 (up to 1,700 pages), High Volume Cartridge 051 H (up to 4,100 pages)		
Control Panel	5-Line L	5-Line LCD Panel	
Printer Size (WxLxH)	15.4" x 16.0" x 12.9"	15.4" x 16.0" x 14.8"	15.6" x 16.2" x 15"

Everything you need in a B&W laser printer; usability, reliability and efficiency.





Print up to 30 pages-per-minute with your first print out in approximately 5.1 seconds (letter).





Mobile Connectivity⁴

Print on-the-go with Canon PRINT Business, Apple AirPrint and Mopria Print Service.





35-Sheet Auto Document Feeder

Scan multi-page documents with ease with the 35-sheet auto document feeder.
(MF264dw II and MF267dw II only.)



Adjustable, Multi-Line LCD Screen

Easliy navigate all the features through adjustable 5-line LCD or 6-line touch LCD screen







Automatically prints on both sides of a sheet without flipping and reinserting the paper.



ID Card & Passport Copy

Easily create copies of both sides of ID cards and other small documents on one sheet.



High Capacity Paper Trays

Comes with a large capacity 250-sheet Paper Cassette (Letter Size) plus 1-sheet Multipurpose tray for specialty papers.



High Volume Printing

Print up to 1,700 black pages with replacement Toner 051 or up to 4,100 black pages with High Capacity Toner 051 H.



Compact Size

Consider how your device will fit in your workplace.
The largest printer (MF267dw II) is only 15.6" (W) x 15.0" (H) x 16.2" (D) and could fit easliy on most desktops.



works alexa with

Let Alexa do the reordering

With smart reorders, Alexa can automatically reorder essentials like ink and toner whenever you're running low.



Support and Service

Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience, offering the support, peace of mind, and value your business deserves. These printers come with a one-year limited warranty.

Main Unit

Core Functions (Standard)

MF262dw II: Print, Copy, Scan MF264dw II: Print, Copy, Scan MF267dw II: Print, Copy, Scan, Fax

Item Code

MF262dw II: 5938C022 MF264dw II: 5938C020 5938C010 MF267dw II:

Processor

Canon Custom Processor

Control Panel

MF262dw II: 5-Line LCD MF264dw II: 6-Line Touch LCD 6-Line Touch LCD MF267dw II:

Memory 256MB

Standard Interface Connection

USB Device 2.0 High-Speed, 10/100 Base-T Ethernet (Network), Wi-Fi* 802.11 b/g/n3, Wi-Fi* Direct Connection

Paper Capacity (Letter, 20 lb. Bond)

250-sheet Paper Cassette Standard: 1-sheet Stack Bypass No Optional Cassette

Paper Output Capacity (Letter, 20 lb. Bond)

50 Sheets Standard: Supported Media Types

Cassette/Bypass: Plain, Recycled, Thick, Bond, Label,

Supported Media Sizes

Cassette/Bypass: Letter, Legal, Statement, Executive; Envelope: COM10, Monarch, C5, DL; Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassette/Bypass: 16 lb. Bond to 43 lb. Bond (60 to 163 g/m2)

Warm-up Time

From Power On: 15 Seconds or Less; From Sleep Mode: 1.6 Seconds or Less

Dimensions (W x D x H)

Standard (Desktop): MF262dw II: 15.4" x 16.0" x 12.9" MF264dw II: 15.4" x 16.0" x 14.8"

MF267dw II: 15.6" x 16.2" x 15.0"

Weight⁶

MF262dw II: Unit: 23.8 lb.; Boxed: 33.1 lb. Unit: 27.3 lb.; Boxed: 35.2 lb. MF264dw II: Unit: 27.3 lb.; Boxed: 35.2 lb. MF267dw II:

Operating System

Windows* 10/8.1, Windows Server* 2016/2012 R2/2012/2008 R2/2008; Mac OS 10.8.5 and Up. Drivers Available For Download From www.usa.canon. com/support

Print Specifications

Printing Method

Laser Beam Printing

Print Speed²

Up to 30 ppm (Letter)

First-Print-Out Time

Approx. 5.1 Seconds

Recommended Monthly Page Volume

250 - 2,500 Pages

Print Resolution (dpi) Up to 600dpi×600dpi

Standard Page Description Languages

UFR II-LT, PCL°6, PCL°5e

Double-Sided Printing Automatic (Standard)

Printing from Mobile Services⁴

Canon PRINT Business, Apple® AirPrint®,

Mopria™ Print Service

Copy Specifications

Copy Speed²

Up to 30 ppm (Letter); Up to 24 ppm (Legal) First-Copy-Out Time (Letter): 8 Seconds or Less Copy Resolution (dpi): Up to 600dpi×600dpi

Copy Size

MF262dw II Platen: Up to Letter/A4 MF264dw II Platen: Up to Letter/A4 ADF: Up to Legal MF267dw II Platen: Up to Letter/A4 ADF: Up to Legal

Multiple Copies: Up to 999 Copies

Magnifications

25% - 400% (1% Increments) Preset Reductions 25%, 50%, 64%, 78% Enlargements 129%, 200%, 400%

Copy Features

N on 1, Passport Copy, Collate, Sharpness, Density, Original Type, 2-Sided and Copy Ratio.

Scan Specifications

Flatbed scanner, Simplex Auto-Document Feeder (MF264dw II & MF267dw II only)

Document Feeder Paper Capacity

35 Sheets (20 lb. Bond) (MF264dw II & MF267dw II only)

Document Feeder Supported Media Sizes

Letter, Legal *Width Custom sizes (Min. 5.8"-Max.8.5")

Document Feeder Supported Media Weights

13-28 lb. Bond (50-105 g/m2)

Platen Acceptable Originals: Sheet, Book Pull Scan: ScanGear MF for TWAIN, and WIA Scan Resolution (dpi): Up to 600 x 600 dpi

Scan-to-Mobile Devices: Canon PRINT Business

Scan Speed (Letter)

Single-sided: Single-sided: 8/10.6 ipm (Color/BW)

Double-sided: N/A Memory Media: N/A

Send Specifications (MF267dw II only)

Destination: Email (SMTP), SMB, Super G3 FAX

Address Book: Local (50) Send Resolution (dpi): 300 x 300 Communication Protocol

File: SMB; Email: SMTP, POP3

File Format: TIFF, JPEG, PDF (Compact, Searchable)

Fax Specifications (MF267dw II only)

Modem Speed

G3:33.6 kbps Super: G3: 14.4 kbps

Compression Method: MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100 Sending/Recording Size: Statement to Legal

Fax Memory: Up to 256 pages Speed Dials: Max. 104 Dials

Group Dials/Destinations: Max. 50 Dials Sequential Broadcast: Max. 114 Addresses

Memory Backup: Yes

Fax Features

Rx Mode, Resolution, Two-sided Original, Density, Sharpness, Duplex Fax

Security Specifications

Authentication: N/A

Network

IP/MAC Address Filtering, TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication Before SMTP

Wi-Fi Authentication Methods WEP 64/128 bit, WPA-PSK (TKIP/AES),

WPA2-PSK (AES)

Environmental Specifications

Operating Environment

50 to 86 °F Temperature:

Humidity: 20 to 80% RH (no condensation)

Power Requirements AC 110 - 127V 60Hz 5.7A Power Consumption

Approx. 1080 W or Less Maximum: Standby: Approx. 340 W

Approx. 0.7 W Sleep Mode: Typical Electricity Consumption (TEC) Rating: 0.33 kWh

Standards

ENERGY STAR® Qualified, Rated EPEAT Silver7

What's in the Box (MF262dw II):

- MF262dw II Printer
- Power Cord
- Toner Cartridge 051 Black Standard
- (up to 1,700 Page Yield)
- Drum Cartridge 051
- Documentation

What's in the Box (MF264dw II):

- MF264dw II Printer
- Power Cord
- Toner Cartridge 051 Black Standard (up to 1,700 Page Yield)
- Drum Cartridge 051
- Documentation

What's in the Box (MF267dw II):

- MF267dw II Printer
- Power Cord
- Telephone Cord
- Toner Cartridge 051 Black Standard
- (up to 1,700 Page Yield)
- Drum Cartridge 051 Documentation

CONFIGURATION AND ACCESSORIES

imageCLASS MF262dw II / MF264dw II / MF267dw II



MF262dw II Multifunction (Item No.: 5938C022)



MF264dw II Multifunction (Item No.: 5938C020)



MF267dw II All-In-One (Item No.: 5938C010)

Extended Service Plans Available For Purchase

If service is required, you may receive a replacement model⁵ via exchange. In this case, you'll be instructed to return the malfunctioning unit to Canon in the replacement pack-, aging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard, one-year limited warranty¹ support to cover an additional one to four years.

One-Year: 5707B042 Two-Year: 5707B043 Three-Year: 5707B044 Four-Year: 5707B045

GENUINE CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.

- Cartridge 051⁴ (Item No.: 2168C001) Yields 1,700 Pages
- Cartridge 051 H (Item No.: (2169C001) Yields 4,100 Pages
- Drum Cartridge 051: 2170C001 (Yields up to 23,000 Pages)



Use of Canon GENUINE toner cartridges helps provide long equipment life, high yields, reliable performance, high-quality output, and minimal jamming.

▲ Standard Cartridge 051 Black (up to 1,700 Page Yield) included in box.

- ¹ Warranty program is subject to certain conditions and restrictions. See warranty card for details.
- ² Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

 ³ Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and
- ⁴ Canon PRINT Business is a free app available on the App Store* and Google Play™. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ⁵ Replacement model may be new or refurbished quality.
- ⁶ Includes consumables.
- ⁷ For latest EPEAT ratings (Gold/Silver/Bronze), please visit HYPERLINK "http://www.epeat.net" www.epeat.net.













usa.canon.com





Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Google Play is a trademark of Google Inc. Apple, AirPrint and macOS are trademarks of Apple Inc., registered in the United States and/or other countries. Apple Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. Amazon and Alexa and all related marks are trademarks of Amazon.com, inc. or its affiliates. All other referenced product names and marks are trademarks of their respective owners. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors. As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks.