

Colour printer and MFP

**RICOH**  
**P C311W**  
**M C251FW**

✔ Printer ✔ Copier ✔ Scanner ✔ Fax



## Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

### Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security — including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

### **Productive time-saving features**

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.

### **Easy installation and support**

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

# RICOH P C311W / M C251FW


## MAIN SPECIFICATIONS

	P C311W	M C251FW
<b>GENERAL</b>		
Configuration	Desktop	
Technology	Laser	
Warm-up time	20 seconds	
First copy speed: B/W	9.4 seconds	
First copy speed: full colour	9.8 seconds	
Continuous output speed	25 ppm	
Memory: standard	256 MB	
Memory: maximum	256 MB	
SPDF capacity (M C251FW)	sheets	-
Duty cycle	65,000	
Duplex	Yes	
Weight	25 kg	30 kg
Dimensions: W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm
Power source	220 - 240 V, 50 - 60 Hz	
<b>COPIER (M C251FW)</b>		
Multiple copying	Up to 99 copies	-
Zoom	From 25% to 400% in 1% steps	-
ID card copy	Yes	-
<b>PRINTER</b>		
Printing process	Laser beam scanning, electro-photographic printing	
Printer language: standard	PCL5c, PCL6, PostScript® 3™	
Print resolution	2,400 x 600 dpi	
Font	Standard: PCL (80 fonts), PS3 (80 fonts)	
Network interface: standard	Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11 a/b/g/n), USB 2.0	
Mobile printing capability	Apple AirPrint, Mopria®	
Windows® environments	Windows® 8.1 Windows® 10 Windows® Server 2012 Windows® Server 2012R2 Windows® Server 2016 Windows® Server 2019	
Mac OS environments	Macintosh OS X v10.10 - v11	
Other supported environments	Linux environment	
<b>SCANNER (M C251FW)</b>		
Scanning: B/W	21 ipm	-
Scanning: full colour	12 ipm	-
Resolution: maximum	1,200 dpi	-
Resolution: standard	600 dpi	-
Bundled drivers	Network TWAIN	-
Scan modes	E-mail, Folder, USB	-
<b>FAX (M C251FW)</b>		
Circuit	PSTN	-
Compatibility	ITU-T(T.37) Internet-Fax	-
Transmission speed	seconds	-
Modem speed: maximum	Kbps	-
Internet fax	Standard	-
LAN fax	Standard	-
<b>PAPER HANDLING</b>		
Recommended paper size	A4, A5, A6, B4, B5	
Paper input: standard	250 sheets	
Paper input: bypass (standard)	1 sheets	
Paper input: maximum	751 sheets	
Paper output: standard	150 sheets	
Paper weight	Trays60 - 163 g/m <sup>2</sup> Optional tray(s)60 - 105 g/m <sup>2</sup> Bypass60 - 163 g/m <sup>2</sup> Duplex60 - 90 g/m <sup>2</sup>	
<b>ECOLOGY</b>		
Power consumption: operation	B&W: 412 W, Full colour: 450 W	B&W: 422 W, Full colour: 444 W
TEC*	0.3 kWh/week	0.31 kWh/week
<b>INPUT/OUTPUT TRAYS AND FINISHER OPTIONS</b>		
1x 500-sheet paper tray		

# RICOH P C311W / M C251FW

## MAIN SPECIFICATIONS

CONSUMABLES	P C311W	M C251FW
Starter toner	Black: 1,000 prints, Cyan: 1,000 prints, Magenta: 1,000 prints, Yellow: 1,000 prints	
Toner (black)		6,900 prints
Toner (cyan)		6,300 prints
Toner (magenta)		6,300 prints
Toner (yellow)		6,300 prints
Consumable yield measuring method ISO/IEC 19798		
<b>25</b>		
<b>750</b>		



COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

### Ricoh UK Ltd.

800 Pavilion Drive  
Northampton Business Park  
NN4 7YL Northampton  
United Kingdom



+44(0)1604 814900



[www.ricoh.co.uk](http://www.ricoh.co.uk)