HP LaserJet Enterprise P3015 Printer series



Get advanced security features: and expand with your changing business needs.

Get fast, high-performance printing with advanced security features. Expand as your business needs change, using an open EIO slot, open memory slot, two internal accessory ports for connecting HP and partner solutions and optional paper trays.

















Count on HP for performance and durability.

- Help prevent unauthorized network admission with 802.1X, which provides device authentication prior to admission.2
- All-in-one Original HP print cartridges with built-in intelligence deliver reliable, consistently outstanding results, page after page, cartridge after cartridge. Get more out of each cartridge with the optional high capacity toner cartridge.3
- Save time and reduce costs and your environmental impact. Print high-quality, two-sided documents and use up to 50 percent less paper using automatic, two-sided printing. This device uses up to 13 percent less energy per page than previous models.
- Twenty-five years of continuous innovation and reliable, professional-quality printing HP LaserJet remains the brand businesses count on.

Get peace of mind with advanced security features.

- Help secure business-critical data using IPSec and other advanced security features.
- Easily retrieve stored confidential print jobs. Retrieve a list of stored jobs using the "menu" button and enter your PIN using the 10-number key pad on the printer's control panel.
- Add a secure hard disk to the printer's open EIO slot. The optional HP High-Performance Secure EIO Hard Disk provides advanced security features to protect sensitive data at rest on HP printers and MFPs – without impacting device performance.3

Gain the flexibility to expand with your business.

- Improve your productivity. Get the capacity to do more with a 1600-sheet maximum input capacity.⁴ Add an optional 500-sheet paper tray for better paper handling.³
- Meet your business needs with robust paper handling. Automatically print on different types and sizes of media – up to A6 – with easy-to-load, adjustable paper trays.


Easy to use and manage.

- Get convenient, walk-up printing, using the front-panel Hi-Speed host USB 2.0 port. Increase your manageability with a full portfolio of innovative HP Certified Partner solutions that integrate easily into your existing infrastructure.
- Reduce calls to IT. Users may easily use and maintain the printer with convenient features like the four-line LCD control panel and the "Show-Me-How" menu.
- Easily setup and manage your print fleet with industry leading, award winning HP Web Jetadmin, and the HP Universal Print Driver. Easily install, configure, monitor, troubleshoot and manage your printing devices from anywhere on the network.2
- Enjoy easy recycling cartridges returned via HP Planet Partners are recycled responsibly.

Product walkaround

HP LaserJet P3015X printer shown:

- 1. Intuitive control panel with four-line LCD display, 10-number key pad and "Show-Me-How" menu
- 2. 250-sheet top output bin
- 3. One-door access to the easy-to-install print cartridge
- 4. 100-sheet multipurpose tray handles a variety of special papers
- 5. Two 500-sheet input trays for a 1,100-sheet total input capacity
- 6. Hardware integration pocket for connecting optional HP or partner solutions
- 7. Host USB 2.0 port for walk-up USB printing 8. HP Jetdirect 10/100/1000 Ethernet embedded print server
- 9. 128 MB memory expandable to 640 MB, and a 540 MHz processor
- 10. One open EIO slot
- 11. Hi-Speed USB 2.0 port for direct connection to printer
- 12. 100-sheet straight-through path supports special papers
 13. Built-in automatic two-sided printing



Series at a glance







| Model | HP LaserJet Enterprise P3015d Printer | HP LaserJet Enterprise P3015dn Printer | HP LaserJet Enterprise P3015x Printer |
|---|---------------------------------------|--|---------------------------------------|
| Product number | CE526A | CE528A | CE529A |
| Print speeds | Up to 40 ppm A4 | Up to 40 ppm A4 | Up to 40 ppm A4 |
| Control panel | 4-line LCD display, 10-key pad | 4-line LCD display, 10-key pad | 4-line LCD display, 10-key pad |
| Hardware Integration Pocket | Yes | Yes | Yes |
| 100-sheet multipurpose tray 1, 500 sheet tray 2 | Yes | Yes | Yes |
| 500-sheet tray 3 | Optional | Optional | Yes |
| 500-sheet tray 4 | Optional | Optional | Optional |
| 250-sheet output bin | Yes | Yes | Yes |
| Automatic two-sided printing | Yes | Yes | Yes |
| Memory | 128 MB (expandable up to 640 MB) | 128 MB (expandable up to 640 MB) | 128 MB (expandable up to 640 MB) |
| Blue Angel certified | Yes | Yes | Yes |
| | | | |

Accessories, Supplies and Support

| Supplies | CE255A HP 55A Black Original LaserJet Toner Cartridge 6,000 pages | | | |
|---------------------|--|--|--|--|
| | CE255X HP 55X High Yield Black Original LaserJet Toner Cartridge 12,500 pages (HP LaserJet Enterprise P3015 and Pro 500 MFP M521) or 13,500 (HP LaserJet Enterprise Pro 500 MFP M525). | | | |
| | CE255XD HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges Per cartridge: 12,500 to 13,500 pages | | | |
| Accessories | CE530A HP LaserJet 500-sheet Feeder/Tray | | | |
| | CE483A HP 512 MB 144-pin x32 DDR2 DIMM | | | |
| | J8019A HP High-Performance Secure EIO Hard Disk | | | |
| | J7972G HP 1284B Parallel Card | | | |
| Connectivity | CE981A HP Hardware Integration Pocket Cable | | | |
| | J7961G HP Jetdirect 635n IPv6/IPsec Print Server | | | |
| | J7934G HP Jetdirect 620n Fast Ethernet Print Server | | | |
| | J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server | | | |
| | CE981A HP Hardware Integration Pocket Cable | | | |
| Service and support | UT948E HP 3 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Hardware Support UT975E HP 4 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Support UU856E HP 5 year Next Business Day Onsite with Defective Media Retention LaserJet P3015 Support UT947PE HP 1 year Post Warranty Next Business Day Onsite with Defective Media Retention LaserJetP3015 Support | | | |

Technical specifications

| Model | HP LaserJet Enterprise P3015d Printer | HP LaserJet Enterprise P3015dn Printer | HP LaserJet Enterprise P3015x Printer | |
|---------------------|--|---|---|--|
| Product number | CE526A | CE528A | CE529A | |
| Print speed | Up to 40 ppm black (A4) | | | |
| First page out time | As fast as 7.5 sec black (A4, ready) | | | |
| Print resolution | Up to 1200 x 1200 dpi black | Up to 1200 x 1200 dpi black | | |
| Print technology | Monochrome Laser | | | |
| Print Area | Print margins: Top: 6 mm; Bottom: 6 mm; Left: 5 mm; | Print margins: Top: 6 mm; Bottom: 6 mm; Left: 5 mm; Right: 5 mm; Maximum print area | | |
| Print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, of | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, direct PDF (v 1.4) printing | | |
| Monthly duty cycle | Up to 100000 pages (A4), Recommended monthly page | ge volume: 1500 to 5000 | | |
| Duplex printing | Automatic (standard) | | | |
| Fonts and typefaces | PCL: 103 internal font set (plus Greek, Hebrew, Cyrillic, | Arabic); PS: 93 internal font set (plus Greek, Hebrew, Cyrillic, Arab | oic) | |
| Processor speed | 540 MHz | 540 MHz | | |
| Display | 2.29×5.33 cm 4 line LCD display, 3 light-emitting diod up/down) | 2.29 x 5.33 cm 4 line LCD display, 3 light-emitting diode (LED) indicator lights (Ready, Data, Attention), buttons (10 numeric keys, Information, Return, Stop/Cancel, OK, Toggle up/down) | | |
| Wireless | Optional, enabled with purchase of a hardware accessor | ory | | |
| Connectivity | Standard: 1 Hi-Speed USB 2.0, 1 external Host USB, 2 internal Accessory ports for HP and partner solutions, 1 E10 slot; Optional: HP Jetdirect E10 internal print servers, HP Jetdirect external print servers, HP 802.11b/g wireless print servers, HP E10 Parallel Port Adaptor | Standard: 1 Hi-Speed USB 2.0; 1 HP Jetdirect 10/100/1000T Ethernet embedded print server; 1 EIO; 1 Host USB 2.0 (front-panel); 2 internal Accessory (for connecting HP or partner solutions); Optional: HP Jetdirect EIO internal print servers, HP Jetdirect external print servers, HP 802.11b/g wireless print servers, HP EIO Parallel Port Adaptor | Standard: 1 Hi-Speed USB 2.0; 1 HP Jetdirect 10/100/1000T Ethernet embedded print server; 1 EIO; 1 Host USB 2.0 (front-panel); 2 internal Accessory (for connecting HP or partner solutions) Optional: HP Jetdirect EIO internal print servers, HI Jetdirect external print servers, HP 802.11b/g wireless print servers, HP EIO Parallel Port Adapto | |
| Network ready | Optional | Standard (built-in Gigabit Ethernet) | Standard (built-in Gigabit Ethernet) | |
| Memory | Maximum: 640 MB | | | |
| Hard disk | Optional, HP High-Performance Secure EIO Hard Disk (| Optional, HP High-Performance Secure EIO Hard Disk (EIO Hard Drive) | | |
| Functions | Print | | | |
| Media types | Paper (bond, colour, letterhead, plain, preprinted, prepi | unched, recycled, rough), envelopes, labels, cardstock, transparer | ncies, user-defined | |
| Paper size | Multipurpose tray: 76 x 127 to 216 x 356 mm; tray 2 a | Multipurpose tray: 76 x 127 to 216 x 356 mm; tray 2 and optional 500-sheet feeder/tray (3 and 4): 105 x 148 to 216 x 356 mm | | |
| Paper handling | Standard input: 100-sheet multipurpose tray (Tray 1), one 500-sheet input tray (Tray 2), automatic duplex printing Standard output: 250-sheet output bin, 100-sheet rear output bin Optional/Input: Two optional 500-sheet paper trays (Tray 3 and 4) | Standard input: 100-sheet multipurpose tray (Tray 1), one S00-sheet input tray (Tray 2), automatic duplex printing Standard output: 250-sheet output bin, 100-sheet rear output bin Optional/Input: Two optional 500-sheet paper trays (Tray 3 and 4) | Standard input: 100-sheet multipurpose tray (Tray 1), two 500-sheet input trays (Tray 2 and 3), automatic duplex printing Standard output: 250-sheet output bin, 100-shee rear output bin Optional/Input: Optional 500-sheet paper tray (Tr. 4) | |
| Input capacity | Tray 1: sheets: 100, envelopes: 10, transparencies: 75 Tray 2: sheets: 500 Tray 3: sheets: 500 Maximum: Up to 1600 | | | |
| Output capacity | Up to 250 sheets Transparancies | Up to 250 sheets Transparancies | | |
| Paper weight | Tray 1: 60 to 199 g/m² (straight through paper path fo | Tray 1: 60 to 199 g/m² (straight through paper path for special media); tray 2, 3: 60 to 120 g/m² | | |
| What's in the box | Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE25SA, Getting Started Guide, support flyer | Printer, right-angled power cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE255A, Getting Started Guide, support flyer | Printer, 500-sheet Feeder/Tray, right-angled powe cord, control panel overlay, software and documentation on CD-ROM, print Cartridge CE255 Getting Started Guide, support flyer | |

| Model | HP LaserJet Enterprise P3015d Printer | HP LaserJet Enterprise P3015dn Printer | HP LaserJet Enterprise P3015x Printer | |
|--------------------------------|--|--|---------------------------------------|--|
| Product number | CE526A | CE528A | CE529A | |
| Compatible operating systems | Windows Vista, Windows Vista x64, Windows XP H | Windows 8 through the HP Universal Print Driver (for more information go to h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectlD=c03365145), Windows Windows Vista, Windows Vista x64, Windows XP Home, Windows XP Professional, Windows Server 2003, Windows Server 2008, Windows 2000 (SP4); Mac 0S X v10.3.9, v10.4 v10.5, v10.6; Novell NetWare; Red Hat Linux 7.x or higher, SuSE Linux 8.x or higher, Linux (see hplip.net) | | |
| Minimum system requirements | Windows: Windows 8 through the HP Universal Print Driver (for more information go to h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp?objectlD=c03365145), Windows 7, Windows Vista, Windows XP, Windows Server 2003, Windows 2000 (SP4): 200 MB available hard disk space, CD-ROM drive, USB 2.0 port or IEEE 1284-4 compliant parallel port Mac: Mac OS X v 10.3.9; v 10.4.3; v 10.5; v 10.6; 200 MB available hard disk space; USB (compatible with USB 2.0 specifications) port or IEEE 1284-B compliant parallel port; CD-ROM drive | | | |
| Software included | EVO Discrete PCL 6 (based on EVO 4.7); Product specific Universal Print Drivers Postscript, static install (based on EVO 4.7) | | | |
| Security management | Management Security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication. Support for WJA-10 IPsec Configuration using IPsec Plug-in | | | |
| Printer management | HP Web Jetadmin, HP LaserJet Utility, HP Embedded Web Server, HP Easy Printer Care | | | |
| Control panel | 2.29×5.33 cm 4 line LCD display, 3 light-emitting up/down) | 2.29 x 5.33 cm 4 line LCD display, 3 light-emitting diode (LED) indicator lights (Ready, Data, Attention), buttons (10 numeric keys, Information, Return, Stop/Cancel, OK, Toggle up/down) | | |
| Printer dimensions (W x D x H) | Minimum: 448 x 412 x 316 mm | Minimum: 448 x 412 x 316 mm | Minimum: 448 x 412 x 480 mm | |
| Package dimensions (W x D x H) | 600 x 500 x 439 mm | 600 x 500 x 439 mm | 618 x 518 x 735 mm | |
| Printer Weight | 15.9 kg | 15.9 kg | 21.2 kg | |
| Package weight | 19.9 kg | 19.9 kg | 28.5 kg | |
| Operating environment | Temperature: 15 to 32.5° C, Humidity: 30 to 70% F | Temperature: 15 to 32.5° C, Humidity: 30 to 70% RH | | |
| Storage | Temperature: -20 to 40° C, Humidity: 10 to 90% RI | Temperature: -20 to 40° C, Humidity: 10 to 90% RH | | |
| Acoustics | Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A) | | | |
| Power | Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 780 watts (active), 14.5 watts (ready), 3.94 watts (sleep), 0.6 watts (off). Typical electricity consumption (TEC) 2.325 kWh/Week Power supply type: Internal | | | |
| Certifications | CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries Blue Angel Blue Angel | | | |
| Warranty | One year on-site warranty. Ontional HP Care Pack | One year on-site warranty. Optional HP Care Pack services available. Warranty and support options vary by product, country and local legal requirements. | | |

Footnotes

¹For d, dn and x printer models only. The HP LaserJet Enterprise P3015d printer includes the features of the HP LaserJet Enterprise P3015 printer, plus automatic two-sided printing, a 10-number key pad and a hardware integration pocket. The HP LaserJet Enterprise P3015dn printer includes the features of the HP LaserJet Enterprise P3015dn printer; plus a 500-sheet input tray for a 1,100-sheet total input capacity.; ²For dn and x models only. The HP LaserJet Enterprise P3015dn printer includes the features of the HP LaserJet Enterprise P3015d printer, plus a 500-sheet input tray for a 1,100-sheet total input capacity.; ³Pot included, please purchase separately.; ³Base, d and dn models have a 600-sheet standard input capacity, and the option to add two 500-sheet trays; x model has an 1100-sheet standard input capacity, plus the option to add a 500-sheet trays; ⁵Supports PDF, PRN and PS file extensions.; ⁶Available in select countries. For more information visit: http://www.hp.com/recycle.

















http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

