PRINT

UP TO 55 PPM

NETWORK



Lexmark T650n

Lexmark T652n

Lexmark T654n

Power and versatility for serious business printing!



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%1, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Robust, ultra-fast and incredibly versatile, the Lexmark T650n fits every type of need. Whether you're looking for a serious performer for high-volume printing or an effective solution for printing on a wide range of media, this powerful monochrome laser printer delivers the ultimate combination of quality, low ownership costs and outstanding reliability.



Quality and productivity unite

Start accruing the benefits of a printer with the real power to perform. With the new redesigned Lexmark T650 Series, you can now own an office machine that pushes quality and performance to truly impressive levels.

- Up to 55 ppm, first page out as fast as 7.5 seconds
- Impressive print quality, up to 1200 x 1200 dpi
- Up to 600MHz processing power and up to 256MB of RAM standard
- Automatically adjusts toner darkness for consistent results from first page to last



Unrivalled versatility

Every workgroup is different. So why not match your printer to suit the way you work? Benefit from diverse media support plus a range of flexible choices, including leading-edge paper

- Opt for extra drawers to expand your input capacity up to 4,300 sheets
- Ultra-reliable paper feeding supports diverse media, including card stock and labels
- Stapler option with 50-sheet capacity; offset job stacking
- Install up to two 5-bin mailboxes to separate users output



Intelligent functionality

The Lexmark T654n offers you a wide range of intelligent features that help you maximize uptime, save money and work more efficiently than ever before.

- Should the media required for a job not be available, Job Waiting automatically places the job on hold to keep the print queue flowing (hard-drive option required)
- Performance enhancement on the Lexmark T652 and Lexmark T654 speeds up output of short print jobs
- Direct Web printing lets you print Web-based documents with ease
- Models with Lexmark's Embedded Solutions Framework can be customized to meet specific workflow needs

Prints black, thinks green

Printing responsibly means everyone wins - your business, your budget and the environment! The Lexmark T654n is designed with sustainability in mind. It's incredibly quiet and equipped with a range of eco-conscious features to help you print greener at every level.

- Choose the dn or dtn duplex models to reduce paper
- Eco-Mode reduces power consumption.
- Series is as quiet as 53 dBA when printing; reduce sound even more with Quiet Mode
- Lexmark High Yield (25,000* pages) and Extra High Yield (36,000* pages) Print Cartridges conserve resources







Introducing the new Lexmark T650 Series, a robust range of workgroup printers that are built to last – and keep up with your heaviest print volumes.

Backed by an award-winning sixth-generation print engine and Lexmark's proven track record in product innovation, these rugged workhorses ensure maximum uptime while reliably delivering fast, high-quality pages year after year.

What's more, the Lexmark T650 Series is backed by Lexmark's 1-Year Exchange Service, which provides you with next-business-day response (see Statement of Limited Warranty for details).

Now you can have a truly reliable solution that meets your highest expectations!



The Productivity Checklist If you've got all these, then you've got a Lexmark!

Performance optimized

Which is more advantageous - more pages per minute or a quicker time-to-first-page? That depends on your print job. The Lexmark T652 and T654 products can identify the size and complexity of your job and automatically calculate the optimal speed - quicker time-to-first-page for short jobs and more pages per minute for longer jobs. So whatever you're printing, you're always sure to get the fastest result!

Intelligent Job Waiting

One person's setback should never mean a bottleneck for the whole workgroup! Say someone launches a print job that requires labels, but there are none loaded. Why lose precious uptime? Lexmark's Job Waiting feature will simply hold that job aside while everyone else goes on working without interruption (hard drive required).

Outstanding print quality

When you purchase a high-performance workgroup printer, you expect high-performance results and that includes flawless print quality. The Lexmark T654n combines true 1200 x 1200 dpi with automatic darkness adjustment and pixel-boosting technology, ensuring you high-quality, professional documents every time.

Cutting-edge security

From network security to user-access restrictions, Lexmark makes sure you're fully equipped with all the tools you need to help keep your valuable corporate data safe and sound. In addition to IPSec, SNMPv3 and 802.1x network security, the Lexmark T654n offers an alphanumeric pad for easy PIN authentication, plus encryption and disk wiping to secure the optional hard drive.

Simplified management

Take a load off your IT department. These printers are network-ready and very easy to set up. If you have multiple Lexmark devices installed, the Lexmark Universal Driver offers even easier deployment. And Lexmark MarkVision™ Professional software provides simplified remote management and automated tools to keep your workday flowing!

Get exactly the performance you need

Lexmark T650n

A Professional Value



- Up to 45 ppm print speeds
- 500MHz processor
- 128MB standard memory
- Recommended monthly volume: 3,000 to 20,000 pages
- 350-sheet standard input, 4,000 maximum
- 350-sheet standard output, 2,750 maximum
- Ships with a 7,000*-page Return Program Print Cartridge
- Lexmark High Yield Print Cartridge (25,000* pages) available

Available models: Lexmark T650n, Lexmark T650dn, Lexmark T650dtn

Three configurations available for each T650 Series model

n = network readydn = network ready plus duplex printing dtn = network ready with duplex printing plus extra input drawer



Lexmark T652n

Maximize Efficiency

- Up to 50 ppm print speeds
- Recommended monthly volume: 3,000 to 30,000 pages
- 650-sheet standard input, 4,300 maximum
- Ships with a 10,000*-page Return Program Print Cartridge
 Built-in duplex models available for two-sided printing
- Lexmark High Yield Print Cartridge (25,000* pages)

Available models: Lexmark T652n, Lexmark T652dn, Lexmark T652dtn

Solutions ready!

Enabled with Lexmark's Embedded Solutions Framework, the Lexmark T654n is the ideal platform for tapping into the benefits of Lexmark's industry-leading enterprise workflow solutions. It can help you print less, lower costs, reduce waste and significantly streamline your processes. To learn more about Lexmark solutions, contact your Lexmark representative today.



Lexmark T654n

Rock-Solid Value



- Up to 55 ppm print speeds
- 600MHz processor
- 256MB standard memory
- Recommended monthly volume: 5,000 to 50,000 pages
- 550-sheet standard output, 2,950 maximum
- Ships with a 10,000*-page Return Program Print
- Lexmark Extra High Yield Print Cartridge (36,000* pages) available
- Lexmark Embedded Solutions Framework

Available models: Lexmark T654n, Lexmark T654dn, Lexmark T654dtn

		1 7050	1 7054
	Lexmark T650n	Lexmark T652n	Lexmark T654n
Printing			1
Print Technology		Monochrome Laser	
Print Speed (Letter, Black): Up to	45 ppm	50 ppm	55 ppm
Time to First Page (Black)		As fast as 7.5 seconds	,
Print Resolution, Black	1200 lma	ge Quality, 1200 x 1200 dpi, 2400 lmage Quality, 600) x 600 dpi
Memory, Standard	128 MB	128 MB	256 MB
Memory, Maximum	640 MB	640 MB	1280 MB
Print Noise Level, Operating	53 dBA	54 dBA	55 dBA
Noise Level, Idle			
· · · · · · · · · · · · · · · · · · ·	26 dBA	30 dBA	30 dBA
Maximum Monthly Duty Cycle: Up to	200,000 pages per month	225,000 pages per month	300,000 pages per month
Recommended Monthly Page Volume	3,000 - 20,000 pages	3,000 - 30,000 pages	5,000 - 50,000 pages
Supplies			
Supplies Yield	25,000*-page High Yield Print Cartridge, *Average standard page yield value declared in accordance with ISO/IEC 19752., 7,000*-page Print Cartridge	25,000*-page High Yield Print Cartridge, *Average standard page yield value declared in accordance with ISO/IEC 19752., 7,000*-page Print Cartridge	25,000*-page High Yield Print Cartridge, *Average standard page yield value declared in accordance with ISO/IEC 19752., 7,000*-page Print Cartridge, 36,000*-page Extra High Yield Print Cartridge
Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	10,000*-page starter Return Program Print Cartridge	10,000*-page starter Return Program Print Cartridge
Paper Handling			
Paper Handling Standard	100-Sheet Multipurpose Feeder, 250-Sheet Input Tray, 350-Sheet Output Bin	100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 350-Sheet Output Bin	100-Sheet Multipurpose Feeder, 550-Sheet Inp Tray, 550-Sheet Output Bin
Paper Handling Optional	1,850-Sheet High-Capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, 250-Sheet Duplex Unit, Optional furniture required., 550- Sheet Output Expander, StapleSmart II Finisher, 2,000-Sheet High Capacity Feeder (Caster Base required)	1,850-Sheet High-Capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, Optional furniture required., 550-Sheet Output Expander, StapleSmart II Finisher, 2,000-Sheet High Capacity Feeder (Caster Base required)	1,850-Sheet High-Capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, Optional furniture required., 550-Sheet Output Expander, StapleSmart II Finisher, 2,000-Sheet High Capacity Feeder (Caster Base required)
Paper Input Capacity, Standard: Up to	350 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	4000 pages 20 lb or 75 gsm bond	4300 pages 20 lb or 75 gsm bond	4300 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard: Up to			
	350 pages 20 lb or 75 gsm bond	350 pages 20 lb or 75 gsm bond	550 pages 20 lb or 75 gsm bond
Paper Output Capacity, Maximum: Up to	2750 pages 20 lb or 75 gsm bond	2750 pages 20 lb or 75 gsm bond	2950 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated	Labels, Paper Labels, Plain Paper, Polyester Labels, [*] & Label Guide	Transparencies, Vinyl Labels, Refer to the Card Sto
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelop	oe, A4, A5, DL Envelope, A6 Card, Executive, Folio, JI	S-B5, Legal, Letter, Statement, Universal
Compatibility			
Network Protocol Support	TCP/IP IP	4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	TCP, UDP
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printe	er Data Stream (PPDS), PostScript 3 Emulation, xHTMI Specification)	L, PDF 1.6, Direct Image, Microsoft XPS (XML Pape
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Front USB Port Compatible with USB 2.0 Specification (Type A), Ethernet 10/100BaseTX (RJ-45), also works with 1000Base-T	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Front USB Port Compatible with USB 2.0 Specification (Type A), Ethernet 10/100BaseTX (RJ-45), also works with 1000Base-T	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100BaseTX (RJ-45),
Microsoft Windows Operating Systems Supported		Terminal Services, 2000 Server running Terminal Sen 2008 x64, Server 2008 running Terminal Services, Se	_
Apple Macintosh Operating Systems Supported		Mag 08 V Mag 08 0 0	
		Mac OS X, Mac OS 9.2	
Other Operating Systems Supported		www.lexmark.com	
General			
Product Warranty		1-Year Exchange Service, Next Business Day	
Product Certifications		www.lexmark.com	
Size (in H x W x D)	13.7 x 16.7 x 19.4 in.	16.8 x 16.7 x 20.1 in.	17.2 x 16.7 x 20.1 in.
			
Weight (lb.)	40.6 lb.	50.7 lb.	51.6 lb.

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Radelinans
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice

Lexmark T650n



Paper Handling Optional


Part #	Model
30G0100	Lexmark T650n
Part #	Laser Toner/Print Cartridge
T650H11A T650A11A T650H04A T650H21A T650A21A 25A0013	T65x High Yield Return Program Print Cartridge T65x Return Program Print Cartridge T65x High Yield Return Program Print Cartridge for T65x High Yield Print Cartridge T65x Print Cartridge Staple Cartridge (3 pack)
Part #	Paper Handling
30G0806 30G0804 30G0854 30G0852 30G0853 30G0851 30G0852 30G0850 30G0871 30G0871 30G0849 30G0836 30G0836 30G0836	1650 250-Sheet Duplex Unit 2000-Sheet High Capacity Feeder 5 inch (12.7 cm) Spacer 550-Sheet Drawer 250-Sheet Drawer 165x High Capacity Output Stacker 165x Output Expander 165x 0-Sheet Mailbox Envelope Feeder 400-Sheet Universally Adjustable Tray with Drawer 165x StapleSmart II Finisher 200-Sheet Universally Adjustable Tray with Drawer 550-Sheet Lockable Drawer 200-Sheet Lockable Universally Adjustable Tray with 400-Sheet Lockable Universally Adjustable Tray with
Part #	Furniture
16M1207 3052765 30G0775	T650, T652, T654 Caster Base Swivel Cabinet T650, T652, T654 Kiosk Presenter
Part #	MFP Options
16J0100	Lexmark 6500e MFP Option, T650, T652, T654
Part #	Memory Options
1022298 1022299 1022301 14F0245 14F0102 30G0828 30G0825 30G0826	128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM 256MB Flash Card 80+6B Hard Disk Japanese Font Card Korean Font Card Simplified Chinese Font Card

30G0287	Traditional Chinese Font Card Arabic Font Card
Part #	Application Solutions
30G0829 30G0830 30G0831 30G2030	Lexmark PrintCryption Card T650, T652 Forms and Bar Code Card T650, T652 Card for IPDS/SCS/TNe T650, T652 Card for PRESCRIBE Emulation
Part #	Connectivity
1021294 14F0000 1021231 14F0100 14F0037 14F0042 14F0040 14T0220	USB Cable (2-meter) Parallel 1284-B Interface Card Parallel Cable (10-foot) RS-232C Serial Interface Card MarkNet R120 Gigabit Ethernet Print Server MarkNet R130 Fiber Ethernet 100BaseFX, 10BaseFI MarkNet R130 Fiber Ethernet 100BaseFX, 10BaseFI MarkNet*W N7020 Bigabit Ethernet Print Server
Part #	Extended Warranties
2350293 2350294 2350295 2350296 2350297 2350301 2350302 2350303 2350304 2350306	2-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day 1-Year Exchange Service Renewal, Next Business Day Upgrade to Onsite Service, Next Business Day 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day 1-Year Onsite Service Renewal, Next Business Day
Part #	User Replaceable Parts
40X4724	T65x, X654e, X656e, X658e Fuser Maintenance Kit Dual Charge Roll Assembly

Lexmark T650n: Network ready, Part #30G0100 Lexmark T650dn: Network ready plus duplex, Part #30G0106 Lexmark T650dtn: Network ready plus duplex with extra input drawer, Part #30G0107

Lexmark T650n Laser Printer, Up to 7,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark T652n




Part #	Model
30G0210	Lexmark T652n
Part #	Laser Toner/Print Cartridge
T650H11A T650A11A T650H04A T650H21A T650A21A 25A0013	T65x High Yield Return Program Print Cartridge T65x Return Program Print Cartridge T65x High Yield Return Program Print Cartridge for T65x High Yield Print Cartridge T65x Print Cartridge Staple Cartridges (3 pack)
Part #	Paper Handling
30G0852 30G0804 30G0854 30G0802 30G0800 30G0807 30G0851 30G0853 30G0850 30G0850 30G0850 30G0849 30G0836	T65x 5-Bin Mailbox 2000-Sheet High Capacity Feeder 5 inch (12.7 cm) Spacer 550-Sheet Drawer 250-Sheet Drawer Envelope Feeder T65x Output Expander T65x High Capacity Output Stacker 400-Sheet Universally Adjustable Tray with Drawer 156x Staple-Smart Il Finisher 200-Sheet Universally Adjustable Tray with Drawer 200-Sheet Lockable Drawer 200-Sheet Lockable Universally Adjustable Tray with 400-Sheet Lockable Universally Adjustable Tray with
Part # 16M1207	Furniture T650, T652, T654 Caster Base
3052765	Swivel Cabinet
30G0775	T650, T652, T654 Kiosk Presenter
Part #	MFP Options
16J0100	Lexmark 6500e MFP Option, T650, T652, T654
Part #	Memory Options
1022298 1022299 1022301 14F0245 14F0102 30G0828 30G0825 30G0826 30G0827	128MB DDRI-DRAM 256MB DDRI-DRAM 512MB DDRI-DRAM 512MB DDRI-DRAM 256MB Flash Card 80+GB Hard Disk Japanese Font Card Korean Font Card Korean Font Card Traditional Chinese Font Card

30G0287	Arabic Font Card
Part #	Application Solutions
30G0829 30G0830 30G0831 30G2030	Lexmark PrintCryption Card T650, T652 Forms and Bar Code Card T650, T652 Card for IPDS/SCS/TNe T650, T652 Card for PRESCRIBE Emulation
Part #	Connectivity
1021294 14F0000 1021231 14F0100 14F0037 14F0042 14F0040 14T0220	USB Cable (2-meter) Parallel 284-B Interface Card Parallel 284-B Interface Card Parallel Cable (10-foot) RS-232C Serial Interface Card MarkNet N312O Gigabit Ethernet Print Server MarkNet N3130 Fiber Ethernet 100BaseFX, 10
Part #	Extended Warranties
2350328 2350329 2350330 2350331 2350332 2350336 2350337 2350338 2350339 2350340 2350341	2-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day 1-Year Exchange Service Next Business Day 1-Year Exchange Service, Next Business Day 1-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 1-Year Total Onsite Service, Next Business Day 1-Year Onsite Service Next Business Day 1-Year Day 1-Year Onsite Service Next Business Day 1-Year Day 1-Year Onsite Service Next Business Day 1-Year
Part #	User Replaceable Parts
40X4724 40X5852 40X1886 40X2665 40X2666 40X4308	T65x, X654e, X656e, X658e Fuser Maintenance Kit Dual Charge Roll Assembly Transfer Roll Assembly Oil Fuser Wiper Wax Fuser Wiper Pick Roll Assembly

Models available Lexmark T652n: Network ready, Part #30G0210 Lexmark T652dn: Network ready plus duplex, Part #30G0200 Lexmark T652dtn: Network ready plus duplex with extra input drawer, Part #30G0108

Lexmark T652n Laser Printer, Up to 10,000*-page starter Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark T654n



Part #	Model
30G0310	Lexmark T654n
Part #	Laser Toner/Print Cartridge
654X11A	T654, T656 Extra High Yield Return Program Print
350H11A	T65x High Yield Return Program Print Cartridge
650A11A	T65x Return Program Print Cartridge
654X04A	T654, T656 Extra High Yield Return Program Print
650H04A	T65x High Yield Return Program Print Cartridge for
654X21A	T654, T656 Extra High Yield Print Cartridge
650H21A	T65x High Yield Print Cartridge
650A21A	T65x Print Cartridge
5A0013	Staple Cartridges (3 pack)
art#	Paper Handling
)G0804	2000-Sheet High Capacity Feeder
0G0802	550-Sheet Drawer
0G0854	5 inch (12.7 cm) Spacer
0G0800	250-Sheet Drawer
0G0807	Envelope Feeder
0G0852	T65x 5-Bin Mailbox
0G0851 0G0853	T65x Output Expander
0G0850	T65x High Capacity Output Stacker T65x StapleSmart II Finisher
0G0860	400-Sheet Universally Adjustable Tray with Drawer
0G0871	200-Sheet Universally Adjustable Tray with Drawer
0G0849	550-Sheet Lockable Drawer
0G0836	200-Sheet Lockable Universally Adjustable Tray with
G0859	400-Sheet Lockable Universally Adjustable Tray with
rt#	Furniture
M1207	T650, T652, T654 Caster Base
052765	Swivel Cabinet
)G0775	T650, T652, T654 Kiosk Presenter
art#	MFP Options
6J0100	Lexmark 6500e MFP Option, T650, T652, T654
art#	Memory Options
025041	256MB DDR2-DRAM
025042	512MB DDR2-DRAM
025043	1024MB DDR2-DRAM
4F0245	256MB Flash Card
4F0102	80+GB Hard Disk
0G0828	Japanese Font Card

30G0825		
3060829	30G0827 30G0826	Traditional Chinese Font Card Simplified Chinese Font Card
3060835 T654 Card for IPDS and SCS/TNe 3060834 T654 Forms and Bar Code Card 3060964 T654 Card for PRESCRIBE Emulation Part # Connectivity 1021294 USB Cable (2-meter) 14F0000 Parallel 1284-B Interface Card 14F0010 RS-232C Serial Interface Card 14F0010 RS-232C Serial Interface Card 14F0040 MarkNet N8130 Fiber Ethernet Print Server 14F0040 MarkNet N8130 Box 2.1 https://wirelses.print Server 14F0040 MarkNet N8130 Box 2.1 https://wirelses.print.server 14F0040	Part #	Application Solutions
1021294 USB Cable (2-meter) 1470100 Parallel 1284-B Interface Card 1470101 RS-232C Serial Interface Card 1470101 RS-232C Serial Interface Card 1470101 RS-232C Serial Interface Card 147037 ArkNet N8130 (ligabit Ethernet Print Server 1470042 MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFI 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Server 1470040 MarkNet N8130 Box 2.1 the/gr Wireless Print Service 1470040 MarkNet N8130 Box	30G0835 30G0834 30G0954	T654 Card for IPDS and SCS/TNe T654 Forms and Bar Code Card T654 RFID UHF Option
14F0000 Parallel 1284-B Interface Card Parallel Cable (10-foot) Parallel (10-foot) Parallel (10-foot) Parallel Cable (10-foot) Parallel (10-foot) Paral	Part #	Connectivity
2350363 2-Years Total Exchange Service, Next Business Day 2350364 3-Years Total Exchange Service, Next Business Day 2350365 4-Years Total Exchange Service, Next Business Day 2350366 5-Years Total Exchange Service, Next Business Day 2350371 4-Year Exchange Service, Next Business Day 2350372 1-Years Total Onsite Service, Next Business Day 2350373 3-Years Total Onsite Service, Next Business Day 2350373 3-Years Total Onsite Service, Next Business Day 2350375 5-Years Total Onsite Service, Next Business Day 2350375 5-Years Total Onsite Service, Next Business Day 2350376 1-Year Total Onsite Service, Next Business Day 2350376 1-Years Total Onsite Service, Next Business Day 2450375 5-Years Total Onsite Service, Next Business Day 2450375 1-Years Total Onsite Service, Next Business Day 24503775 1-Years Total Onsite Service, Next Business Day 24503777 1-Years T	14F0000 1021231 14F0100 14F0037 14F0042 14F0040	Parallel 1284-B Interface Card Parallel Cable (10-foot) Parallel Cable (10-foot) RS-232C Serial Interface Card MarkNet N812O Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFI MarkNet N8150 802.11b/g/n Wireless Print Server
2350364 3-Years Total Exchange Service, Next Business Day 2350365 4-Years Total Exchange Service, Next Business Day 2350366 5-Years Total Exchange Service, Next Business Day 2350371 Lyear Exchange Service, Next Business Day 2350372 3-Years Total Onsite Service, Next Business Day 2350373 3-Years Total Onsite Service, Next Business Day 2350376 4-Years Total Onsite Service, Next Business Day 2350376 1-Year Onsite Service, Next Business Day 245047264 1-Year Service Service, Next Business Day 245047264 1-Year Onsite Service, Next Business Day 2450473 1-Year	Part #	Extended Warranties
40X4724 165x, X654e, X656e, X658e Fuser Maintenance Kit 40X5852 Dual Charge Roll Assembly 40X2665 Unif Lises Septembly 40X2665 Unif Lises Wilper 40X2666 Wax Fuser Wilper		
40X5852 Dual Charge Roll Assembly 40X1886 Transfer Roll Assembly 40X2665 Oil Fuser Wiper 40X2666 Wax Fuser Wiper	2350364 2350365 2350366 2350367 2350371 2350372 2350373 2350374 2350375	3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day Upgrade to Onsite Service, Next Business Day 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day
	2350364 2350365 2350366 2350367 2350371 2350372 2350373 2350374 2350375 2350376 Part #	3-Years Total Exchange Service, Next Business Day 1-Years Total Exchange Service, Next Business Day 1-Years Total Exchange Service, Next Business Day 1-Year Exchange Service Renewal, Next Business Day 1-Year Exchange Service Renewal, Next Business Day 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day User Replaceable Parts

Paper Handling Optional

Lexmark T654n: Network ready, Part #30G0310

Lexmark T654dn: Network ready plus duplex, Part #30G0300 Lexmark T654dtn: Network ready plus duplex with extra input drawer, Part #30G0109

Lexmark T654n Laser Printer, Up to 10,000*-page starter Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Lexmark's 1-Year Exchange Service, Next Business Day warranty on the Lexmark T650 Series provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using Original Lexmark Supplies, Service and Parts.



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www. lexmark.com/recycle.

Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex printing, Print and Hold, multi-up and support of recycled paper help reduce paper consumption
 Eco-Mode reduces power consumption and Quiet Mode reduces noise
- High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste



