

### MB472w Mono MFP



fast, full-featured and environmentally friendly





# The MB472w from OKI<sup>®</sup> gives you all the functionality, reliability and productivity features you want – including wireless LAN.

### **Highlights:**

- Professional, affordable solution-print, copy, scan and fax
- Compact design, ideal for small office or small workgroup
- Ethernet and USB connectivity standard, including walk-up USB slot
- Wi-Fi CERTIFIED<sup>™</sup> wireless connectivity standard
- Fast black & white printing and copying at up to 35 ppm<sup>1</sup>
- Duplex (2-sided) printing/copying standard
- Color scanning with send-to functionality
- Encrypted Secure Print function for protected printing – ensures document confidentiality
- ID Card Copy for simple copying of double-sided ID cards on a single sheet
- 3 GB memory<sup>2</sup>
- Operator panel with backlit 3.5" LCD display, 1-touch function buttons, alphanumeric keypad
- Full QWERTY keyboard
- 50-sheet duplex reversing automatic document feeder (RADF) scans both sides
- ENERGY STAR<sup>®</sup> compliant
- Upgradable paper capacity with 530-sheet second tray
- 1-Year limited On-Site warranty<sup>3</sup>
- Live, toll-free technical support 24/7/365<sup>3</sup>

### Everything the small workgroup requires -

The MB472w from OKI combines black & white printing, copying, faxing, and color scanning. This affordable, professional wireless multifunction printer with a print speed of 35 ppm' doesn't compromise on performance or print quality.

Easy to use, it has a 3.5" graphic display, intuitive menu system, and a QWERTY keyboard to simplify data and email address entry. Choose the toner capacity to suit your business needs: a standard 3,000-page cartridge or high-capacity 7,000-page cartridge with lower running costs.

Sharing files and documents is a snap – Place your document on the flatbed platen or in the 50-sheet duplex reversing automatic document feeder (RADF) and USB- or network-TWAIN scan it in color or black & white to your PC or Mac. Save and send the electronic version to a folder on your PC, the network, or FTP site, as an attachment to an e-mail address or as a fax.

LDAP provides direct access to contact and email data from an existing directory server, saving time and improving the reliability of document delivery. The Job Build function enables a number of different documents to be scanned, creating a single document for output.

The MB472w also offers robust fax features, including Internet (T.37) faxing, one-touch dialing, distinctive ring, and an Auto Delivery feature that routes all incoming faxes to a folder or to specified e-mail addresses. Printing wirelessly and on the go – The MB472w has USB 2.0, 1 GB Ethernet interfaces and is Wi-Fi CERTIFIED<sup>®</sup> a/b/g/n standard. It supports cloud/ mobile solutions such as Google Cloud Print<sup>®</sup>, AirPrint<sup>®</sup> for Apple iOS and OKI Mobile Print app for Android<sup>®</sup> devices.

Further enhance your productivity – The MB472w has a Job Macro function (accessible right on the operator panel) that records and instantly recalls frequently used tasks and settings —automating them for increased productivity and efficiency.

Energy-efficient operation – To help control costs, the MB472w comes with duplex (2-sided) printing/ copying standard, so you save paper and energy. It features energy-saving Deep Sleep mode—which reduces energy consumption to 1.9 watts or less! It will even shut itself off after a period of inactivity (adjustable to 24 hours)—so you pay even less on energy costs.

And, for ongoing savings, the 2-piece consumables configuration lets you replace just a toner cartridge when you need to, instead of the toner cartridge *and* the image drum.

**Backed by legendary support** – If you need technical assistance, you can speak to a live expert located in North America by calling 800.OKI.DATA (800.654.3282).<sup>3</sup> That's 24/7/365.

The MB472w Mono MFP from OKI: the perfect mono MFP for your desktop applications—fast, full-featured and environmentally friendly.

### The MB472w MFP at a Glance



Operator Panel: 3.5" backlit LCD display; 1-Touch function buttons; Alphanumeric keypad



Full QWERTY keyboard (behind 1-Touch key panel)



### **Ordering Information:**

| Model   | Part No. |
|---|----------|
| MB472w (120V Wireless Mono MFP)                       | 62444801 |
| Supplies  |          |
| Toner Cartridges (Average Life)                       |          |
| Standard – 3,000 pages <sup>4</sup>                   | 45807101 |
| High Capacity – 7,000 pages⁴                          | 45807105 |
| Image Drum (Average Life) – 30,000 pages <sup>5</sup> | 44574301 |

| Options                                   |          |          |
|---|----------|----------|
| 530-Sheet 2nd Paper Tray                  |          | 44575713 |
| OKIcare® Warranty Extensions <sup>3</sup> |          |          |
|   | U.S.     | Canada   |
| 2-Year On-Site Extension                  | 38040202 | 38040212 |
| 3-Year On-Site Extension                  | 38040203 | 38040213 |

## MB472w Mono MFP

#### Specifications

| Printer                            |   |
|------------------------------------|---|
| Print Speed                        | Up to 35 ppm <sup>4</sup>   |
| Duplex Print Speed                 | Up to 17 ipm'   |
| Time to First Page                 | As fast as 5 seconds'   |
| Print Resolution                   | Up to 1200 x 1200 dpi   |
| Processor Speed                    | 667 MHz   |
| Monthly Duty Cycle                 | Up to 60,000 pages  |
| Recommended Montly<br>Print Volume | 250-3,000 pages   |
| Emulations                         | PCL <sup>®</sup> 6, PCL 5e; IBM <sup>®</sup> PPR; EPSON <sup>®</sup> FX; XPS  |
| Operating Systems                  | Microsoft <sup>®</sup> Windows <sup>®</sup> 8.1, Windows 7, Windows Vista <sup>®</sup> ,<br>Windows Server 2012 R2, Windows Server 2008 R2,<br>Windows Server 2003; Mac <sup>®</sup> OS 10.6.8 – 10.9 |
| Connectivity                       | Standard – High-Speed USB v2.0 (Device and Host), 1<br>Gigabit Ethernet (10/100/1000 Base-TX); IEEE802.11<br>a/b/g/n Wireless   |
| Duplex (2-Sided) Printing          | Standard  |
| Copier                             |   |
| Copy Speed                         | Up to 35 cpm <sup>1</sup>   |
| Duplex Copy Speed                  | Up to 16 ipm <sup>1</sup>   |
| Time to First Copy                 | As fast as 10 seconds'  |
| Copy Resolution                    | Up to 600 x 600 dpi   |
| Copy Scaling                       | 25% to 400%   |
| Copy Quantity Selection            | 1–99  |
| Duplex (2-Sided) Copying           | Standard  |
| Copy Functions                     | ID Copy; Collate; n-Up; Mixed originals; Edge erase   |
| Scanner                            |   |
| Scan Type                          | Color CIS   |
| Document Input                     | 50-sheet Duplex Reversing Automatic Document<br>Feeder (RADF); Single-sheet flatbed scanner   |
| Scan Speed                         | As fast as 2 sec./page Black & White; as fast as<br>6 sec./page Color'  |
| Scan Resolution                    | 600 dpi   |
| Scan-to                            | Folder (CIFS/FTP/HTTP), E-mail (with LDAP support),<br>USB memory, PDF, Secure PDF, High compression-<br>PDF, S-TIFF/M-TIFF (RAW/G3/G4 Compressed), JPEG,<br>XPS, Scan to computer (with Actkey)      |
| Fax                                |   |
| Fax Modem                          | 33.6 kbps Super G3  |
| Connectivity                       | RJ11 x 2 (Line/Tel), PSTN, PBX Line   |
| Fax Memory                         | 4 MB (approx. 200 pages°)   |
| One-Touch Dials                    | 16 (8 x 2 using Shift key)  |
| Speed Dials                        | Up to 300 locations; 20 groups  |
| Fax Functions                      | On-hook dial; Redial; Fax from PC; Fax to fax server;   |

Fax Functions On-hook dial; Redial; Fax from PC; Fax to fax server; Internet Fax (T.37); Auto Fax/Tel switch; Distinctive ring detection; Automatic Tray select for Fax print; Block junk FAX; Edge erase; Automated delivery; Duplex scan/print

For more information on Digital Mono MFPs and supplies from OKIincluding OKIcare warranty extensions: **1.800.0KI.DATA** (800.654.3282)<sup>3</sup> or visit our website: **www.okidata.com** 

<sup>1</sup> Published performance results based on laboratory testing. Individual results may vary.

- $^2$  512 MB RAM + 2.5 GB flash memory storage
- <sup>3</sup> Available in the U.S. and Canada only.
- <sup>4</sup> Estimated life based on ISO/IEC 19752. Device ships with 2,000-page "starter" cartridge.
- <sup>5</sup> Estimated life based on 3 pages per job simplex (actual results may vary).
- <sup>6</sup> Based on ITU-T Test Chart #1.
- Specifications are subject to change without notice.

© 2015 Oki Data Americas, Inc. OKI, OKIcare Reg. T.M., M.D., Oki Electric Industry Co., Ltd. Windows, Vista, Reg. T.M., Microsoft Corp. Mac Reg. T.M., Apple, Inc. Nuance, PaperPort, OmniPage Reg. T.M., Nuance Communications, Inc. PCL Reg. T.M., Hewlett-Packard Co. PostScript Reg. T.M., PostScript 3 T.M., Adobe Systems, Inc. IBM Reg. T.M., International Business Machines Corp. Epson Reg. T.M., Seiko Epson Corp. USB/IF Logo T.M., Universal Serial Bus Implementers Forum, Inc. Wi-Fi Alliance Reg. T.M., Wi-Fi CERTIFIED, Wi-Fi Protected Setup, WPA, WPA2 T.M., Wi-Fi Alliance. ENERGY STAR Reg. T.M., U.S. EPA.

AirPrint and the AirPrint logo are trademarks of Apple, Inc. Google Cloud Print and the CloudPrint logo are trademarks of Google, Inc.

| Memory                              |   |
|-------------------------------------|---|
| Standard/Max RAM                    | 3 GB shared memory <sup>2</sup>   |
| Storage Memory                      | 2.5 GB flash  |
| Wireless LAN                        |   |
| Protocols Connectivity              | Wi-Fi CERTIFIED <sup>™</sup> a/b/g/n; Wi-Fi Protected Setup <sup>™</sup>  |
| Security                            | WPA2 <sup>™</sup> – Enterprise, Personal; EAP Type(s): EAP-TLS,<br>PEAPv0/EAP-MSCHAPv2  |
| Operator Panel                      |   |
| Features                            | 3.5" backlit LCD display; 1-Touch function buttons;<br>Alphanumeric keypad; full QWERTY keyboard (behind<br>1-Touch keypad)   |
| Paper Handling                      |   |
| Standard Capacity                   | 250-sheet Tray + 100-sheet Multipurpose Tray (up to<br>100 sheets/10 envelopes); 50-sheet Duplex RADF   |
| Additional Capacity                 | Optional 530-sheet 2nd Tray; 880 sheets max   |
| Paper Sizes                         | Multipurpose Tray: 3.4" x 5.5" up to 8.5" x 52" banner,<br>4"x6", 5"x7", com-10, com-9, C5, C6, DL and Monarch<br>envelopes; Tray 1: Letter, Legal 14"/13.5"/13",<br>Executive, Statement, A4, A5, A6, B5; Optional Tray<br>2: Letter, Legal 14"/13.5"/13", Executive, A4, A5, B5;<br>Duplex: Letter, Legal 14"/13.5"/13", Executive, A4,<br>B5; RADF: Letter, Legal 14"/13.5"/13", Executive, A4,<br>A5, B5; Platen Glass: Letter, Executive, A4, A5, A6,<br>B5. |
| Paper Weight                        | Multipurpose Tray: 16 lb. bond – 100 lb. tag card<br>(60–163 gsm); Tray 1/Optional Tray 2/Duplex: 16 lb. –<br>32 lb. bond (60–120 gsm); RADF: 16 lb. – 28 lb. bond<br>(60–105 gsm)  |
| Environmental                       |   |
| Size (WxDxH)                        | 16.8" x 16.7" x 17.9"<br>(427mm x 425mm x 455mm)  |
| Weight                              | 44.1 lb. (20 kg)  |
| Power Consumption                   | Off: < 0.5W; Deep Sleep: 1.9W; Power Save: 10W;<br>Standby 95W; Average: 600W; Peak: 950W   |
| ENERGY STAR <sup>®</sup> Compliance | Yes   |
| ENERGY STAR Tec Value               | 2.0 kWh   |
| Acoustic Noise                      | Operating: 53dBA or less; Quiet Mode: 52dBA or less;<br>Standby 30dBA or less   |
| Warranty                            |   |
| MFP                                 | 1-Year limited On-Site warranty <sup>3</sup>  |
| Printhead                           | 5-Year limited LED printhead warranty   |
|                                     |   |



#### OKI DATA AMERICAS, INC.

**USA** 2000 BISHOPS GATE BLVD. MOUNT LAUREL, NJ 08054-4620 TEL: 800.OKI.DATA (800.654.3282) FAX: 856.222.5320

WWW.OKIDATA.COM

**CANADA** 4140B SLADEVIEW CRESCENT UNITS 7 & 8 MISSISSAUGA, ONTARIO L5L 6A1 TEL: 905.608.5000 FAX: 905.608.5040

