



imageCLASS MF269dw Value Pack

Black and White | Compact | Multifunction

Print up to 30 ppm

Print up to 8-1/2" x 14"

250-sheet maximum paper capacity

Two-year Limited Warranty and Two High-Yield Toner Cartridges Included

The imageCLASS MF269dw Value Pack is designed to add value in more ways than one with up to two years of High-Yield toner* included and a two-year limited warranty included. With two high-yield cartridges, you'll be able to print up to approximately 8,200 pages.



ADDED VALUE IN MORE WAYS THAN ONE



USABILITY

- Six-line touch LCD for easy navigation.
- Create Wi-Fi® Direct hotspot from the printer to establish a direct connection to compatible mobile device(s) without the need for an external router.



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and help minimize the impact on support resources.
- Canon GENUINE supplies help ensure enhanced quality, performance, and the life cycle of your Canon equipment.



WORKFLOW EFFICIENCY

- Supports mobile solutions³ for printing and scanning.
- Scan and convert documents to searchable digital files.
- Designed for smaller print jobs with first-print time as fast as 5.1 seconds.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low-energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and currently rated EPEAT® Silver.¹



COST EFFICIENCY

- Purchasing MF269dw Value Pack can save money and time versus purchasing items individually.
- Out-of-the-box, standard two-sided printing plus the ability to print multiple pages onto one page help to reduce paper consumption.
- Available high-capacity cartridges help reduce overall supply costs.



SECURITY FEATURES

- Helps mitigate risk of confidential information loss, as documents are only stored in short-term memory.
- Security settings can be set behind an administrator log-in.

^{*}Two-year period assumes approximately 342 pages of printing per month in accordance with ISO/IEC 19752 (Letter/A4) using the two toner cartridges provided in box. Printing in excess of these amounts will result in toner lasting a shorter duration.



MOBILE-FRIENDLY DEVICE ACCESS

From application-based to cloud-based to device native, the imageCLASS MF269dw VP model offers a variety of methods for printing from a mobile phone or tablet across compatible iOS and Android devices. The Canon PRINT Business App, which supports both platforms, offers access to additional device settings as well as the ability to scan from the printer to a mobile phone or tablet.



FAST, DUPLEX SCANNING

The imageCLASS MF269dw VP leverages a document feeder for two-sided scanning at up to 11.6 images per minute (ipm) in black and white or up to 7.7 ipm in color. Scanned files can be converted into multiple file formats, including Hi-Compression PDF and Searchable PDF (OCR).



100% U.S.-BASED SERVICE AND SUPPORT

From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's award-winning, 100% U.S.-based, friendly, and knowledgeable Customer Service team provides expert assistance for every level of experience, giving you the support, peace of mind, and value your business deserves.



GENUINE® CONSUMABLES

Always look for the Canon anti-counterfeiting hologram on your Canon GENUINE product packaging.

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

SPECIFICATIONS

	MAIN UNIT
Functions	Print/Scan/Copy/Fax
Control Panel	
	6-line LCD
Memory	256 MB
Standard Interface Connection	USB Device 2.0 High-Speed, 10/100 Base-T Ethernet (Network), Wi-Fi 802.11 b/g/n, Wi-Fi Direct Connection
Paper Input/Output Capacity (Letter, 20 lb. Bond)	250/50 Sheets
Paper Sources (Letter, 20 lb. Bond)	250-sheet Paper Cassette, 1-sheet Stack Bypass
Supported Media Types	Cassette/Bypass: Plain, Recycled, Thick, Bond, Label, Envelope
Supported Media Sizes	Cassette/Bypass: Letter, Legal, Statement, Executive; Envelope: COM10, Monarch, C5, DL; Custom (Min. 3" x 5" to Max. 8.5" x 14")
Supported Media Weights	Cassette/Bypass: 16 lb. Bond to 43 lb. Bond (60 to 163 g/m²)
Warm-up Time	From Power On: 15 Seconds or Less; From Sleep Mode: 1.6 Seconds or Less
Dimensions (W x D x H)	15.4" x 16.0" x 14.8" (390 mm x 405 mm x 375 mm)
Weight (Machine Only/Boxed Weight)	29.7 lb. (13.5 kg)/39.6 lb. (18.0 kg)
	PRINT SPECIFICATIONS
Printing Method	Laser Beam Printing
Print Speeds ²	Up to 30 ppm (Letter); Up to 24 ppm (Legal)
First-Print-Out Time	Approx. 5.1 Seconds
Recommended Monthly Page Volume	250 - 2,500 Pages
Print Resolution (dpi)	600 x 600
Standard Page Description Languages	UFR II-LT, PCL*5e
Two-Sided Printing	Automatic (Standard)
Printing from Mobile and Cloud-based Services ³	Canon PRINT Business, Apple® AirPrint®, Mopria™ Print Service, Google Cloud Print™4
Operating Systems (Print/Scan)	Windows* 10/8.1/7, Windows Server* 2016/2012 R2/2012/2008 R2/2008; Mac OS 10.8.5 and Up. Drivers Available For Download From www.usa.canon.com/support
	Drivers Available For Download From www.usa.canon.com/support COPY SPECIFICATIONS
Comp Connect	
Copy Speed	Up to 30 ppm (Letter); Up to 24 ppm (Legal)
First-Copy-Out Time (Letter)	8 Seconds or Less
Copy Resolution (dpi)	Up to 600 x 600
Copy Size	Platen: Up to Letter; ADF: Up to Legal
Presets	Magnifications: 25% - 400% (1% Increments)/Reductions: 25%, 50%, 64%, 78%/Enlargements: 129%, 200%, 400%
	SCAN SPECIFICATIONS SCAN SPECIFICATIONS
Туре	Duplexing Automatic Document Feeder
Document Feeder Paper Capacity (20 lb. Bond)	50 Sheets
	50 Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 × 600
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB; Email: SMTP, POP3
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi)	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 × 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 × 300 File: SMB; Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format	So Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 × 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 × 300 File: SMB, Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB; Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps; G3: 14.4 Kbps
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi)	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB; Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps; G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB; Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps; G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100 Statement to Letter Up to 256 Pages
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features	So Sheets Legal, Letter
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB, Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps, G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100 Statement to Letter Up to 256 Pages Max. 104 Max. 50 Dials Max. 114 Addresses Rx Mode, Resolution, Two-sided Original, Density, Sharpness, Duplex Fax SECURITY SPECIFICATIONS IP/MAC Address Filtering, TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication Before SMTP
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features Network Wi-Fi* Authentication Methods	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB, Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps, G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100 Statement to Letter Up to 256 Pages Max. 104 Max. 50 Dials Max. 104 Max. 50 Dials Rx Mode, Resolution, Two-sided Original, Density, Sharpness, Duplex Fax SEQURITY SPECIFICATIONS IP/MAC Address Filtering. TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication Before SMTP WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features Network Wi-Fi* Authentication Methods	50 Sheets Legal, Letter Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 13 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB, Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps, G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100 Statement to Letter Up to 256 Pages Max. 104 Max. 50 Dials Max. 114 Addresses Rx Mode, Resolution, Two-sided Original, Density, Sharpness, Duplex Fax SECURITY SPECIFICATIONS IP/MAC Address Filtering, TLS Encrypted Communication, SMMP v30, IEEE 802.1X; IP-6, SMTP Authentication, POP Authentication Before SMTP WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) ENVIRONMENTAL SPECIFICATIONS Temperature: 50 to 86° F; Humidity: 20 to 80% RH (no condensation)
Document Feeder Paper Capacity (20 lb. Bond) Document Feeder Supported Media Sizes Document Feeder Supported Media Weights Scan Resolution (dpi) Scan-to-Mobile Devices Scan Speed (Letter) (ipm) Destination Address Book Send Resolution (dpi) Communication Protocol File Format Modem Speed Resolution (dpi) Sending/Recording Size Fax Memory Speed Dials Group Dials/Destinations Sequential Broadcast Fax Features Network Wi-Fi* Authentication Methods	Single-sided Scanning: 13 - 28 lb. Bond (50-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) Two-sided Scanning: 16 - 28 lb. Bond (60-105 g/m²) 600 x 600 Canon PRINT Business Single-sided (Color/BW): 7.7/11.6 Two-sided (Color/BW): 2.4/4 SEND SPECIFICATIONS Email (SMTP), SMB, Super G3 FAX Local (50) 300 x 300 File: SMB, Email: SMTP, POP3 TIFF, JPEG, PDF (Compact, Searchable) FAX SPECIFICATIONS Super G3: 33.6 Kbps, G3: 14.4 Kbps 200 x 400, 200 x 200, 200 x 100 Statement to Letter Up to 256 Pages Max. 104 Max. 50 Dials Max. 104 Max. 50 Dials Rx Mode, Resolution, Two-sided Original, Density, Sharpness, Duplex Fax SEQURITY SPECIFICATIONS IP/MAC Address Filtering. TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication Before SMTP WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)

CONFIGURATION AND ACCESSORIES



Extended Service Plans Available For Purchase

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard, two-year limited warranty⁵ support to cover an additional one to three years.

One-Year: 5707B042 Two-Year: 5707B043 Three-Year: 5707B044

If service is required, you may receive a replacement model⁶ via advanced exchange. In this case, you'll be instructed to return the damaged unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

Item Codes

imageCLASS MF269dw VP: 2925C059

Cartridge 051: 2168C001 (Yields 1,700 Pages) 2169C001 (Yields 4,100 Pages) Cartridge 051 H: Drum Cartridge 051: 2170C001 (Yields up to 23,000 Pages)

- ¹ For current EPEAT ratings (Gold/Silver/Bronze), please visit epeat.net.
- ² Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

 ³ Canon PRINT Business is a free app available on the App Store* and Google Play™ Store. For more information, including compatibility, please visit usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ⁴ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' terms and conditions.
- SWarranty program is subject to certain conditions and restrictions. See warranty card for details.
 Replacement model may be new or refurbished quality.















As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified this model as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Wi-Fi is a registered trademark of the Wi-Fi Alliance. Android, Google Play and Google Cloud Print are trademarks of Google Inc. iPad, iPhone, iPod touch, Mac and the App Store are trademarks of Apple Inc., registered in the United States and/or other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Mopria and the Mopria logo are trademarks of the Mopria Alliance, Inc. Windows and Windows Server are trademarks of Microsoft Inc. in the United States and/or other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2019 Canon U.S.A., Inc. All rights reserved.





