Canon

Color imageCLASS MF751Cdw

Color imageCLASS MF751Cdw

Print | Scan | Copy

Print up to 35 ppm¹

Print up to 8-1/2" x 14"

850-sheet maximum paper capacity

Three-year limited warranty standard²

Designed for small and medium-size businesses, the imageCLASS MF751Cdw balances speedy performance and minimal maintenance. The MF751Cdw is easy to set up and offers media versatility to print on a variety of media types and sizes, including envelopes, banners, and more.



The customizable, 5" color touchscreen delivers an intuitive user experience.



Produce crisp, colorful documents with fast print speeds of up to 35 pages per minute¹, using high quality Canon Genuine Toner 069 / 069 H.



The MF751Cdw offers an expandable paper capacity of up to 850 sheets, with a plain paper capacity of up to 250 sheets, 50-sheet multipurpose tray, and optional cassette PF-K1 (sold separately) which holds up to 550 sheets.³



Use PosterArtist Online to create professional quality posters, banners, and signage.

Canon



Easily connect and print through high-speed USB, Ethernet, or wirelessly⁴ from computers or mobile devices.⁵



Print using a variety of mobile apps, including the Canon PRINT Business app⁵ using your compatible mobile device.



The MF751Cdw comes with a three-year limited warranty² and is backed by Canon's Service and Support network.



* Printer Screen May Vary.

CUSTOMIZABLE, 5-INCH COLOR TOUCHSCREEN

Easily access the features you use the most with Application Library. Application Library's Cloud App feature also supports cloud storage directly from an external webpage. Print or scan⁶ documents directly to or from DropBox, Google Drive, or OneDrive.









- 1) Press "Wireless LAN" Button
- 2) Select "Network"
- 3) Enter Encryption Key/Password
- 4) Finalize





BRING YOUR IDEAS TO LIFE WITH POSTERARTIST*

Create professional quality posters and flyers with PosterArtist online; an easy-to-use, free, template-driven poster creation application.

*PosterArtist online version requires a personal computer with Internet access and a compatible Canon printer. The service is not available on some operating systems or browsers. See usa.canon.com/PosterArtist for details.





MOBILE PRINTING⁵

Print on-the-go with Canon PRINT Business, Apple[®] AirPrint[®], and Mopria[™] Print Service. Compatible with select versions of Windows OS, Mac OS, and Chromebook OS.



Apple AirPrint





SERVICE AND SUPPORT

Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience, offering the support, peace of mind, and value your business deserves.⁷



Main Unit

Core Functions Standard: Print, Copy, Scan Item Code 5455C015

Processor

Canon Custom Processor

Control Panel 5" Color Touch Panel

Memory 1 GB

Standard Interface Connection

USB 2.0 x2 (Host), USB 2.0 x1 (Device) High-Speed, 10/100/1000 Base-T Ethernet (Network), Wi-Fi® 802.11b/g/n⁴, Wi-Fi Direct Connection

Paper Capacity (Letter, 20 lb. Bond) Standard: 300 Sheets

- Paper Sources (Letter, 20 lb. Bond) Standard: 250-sheet Paper Cassette, 50-sheet Stack Bypass Optional: 550-sheet Paper Cassette (Cassette Unit PF-K1) 850 Sheets
- Maximum:

Paper Output Capacity (Letter, 20 lb. Bond) 75 Sheets Standard:

Supported Media Types

| Supported media Types | | |
|-----------------------|--|--|
| Cassettes: | Thin, Plain, Recycled, Color, Thick, Coated, | |
| | Label, Letter, Envelope (10 Envelopes) | |
| Stack Bypass: | Thin, Plain, Recycled, Color, Thick, Coated, | |
| | Label, Letter, Envelope (1 Envelope) | |

| Supported | Media | Sizes |
|-----------|-------|-------|

A4, A5, B5, Letter, Legal, Statement, Cassettes: Executive, Envelope: COM10, Monarch, C5, DL, Custom (Min. 3" x 5" to Max. 8.5" x 14") Letter, Legal, Statement, Executive Stack Bypass: Envelope: COM10, Monarch, C5, DL Custom (Min. 3" x 5" to Max. 8.5" x 14")

Supported Media Weights

Cassettes: 16 lb. Bond to 53 lb. Bond (60 to 200 g/m²) Stack Bypass: 16 lb. Bond to 53 lb. Bond (60 to 200 g/m²)

Warm-up Time

From Power On: 14 Seconds or Less From Sleep 5.3 Seconds or Less Mode:

Dimensions (W x D x H)

Standard 16.8" x 18.2" x 17" (Desktop): Box: 21.3" x 21.1" x 22.3"

Installation Space (W x D x H)

Fully

Configured: 23.3" x 36.1" x 35.1"

Weight⁸

Unit: Approx. 48.5 lb. Boxed Weight: Approx. 64 lb.

Supported OS

Windows® 8.1/Windows 10/Windows 11/Windows Server 2012/Windows Server 2012 R2/Windows Server 2016/Windows Server 2019/Windows Server 2022/ Mac OS (10.12 or later)

What Comes In The Box

MF751Cdw Printer, Canon Genuine Toner 069 (Starter CMY: 1,100 / Standard Black: 2,100 yield), Power Cord, Documentation

Print Specifications

Printing Method Laser Beam Printing Print Speed¹ Up to 35 ppm (Letter); Up to 28.1 ppm (Legal) First-Print-Out Time Approx. 7 Seconds **Recommended Monthly Page Volume** 750 to 4,000 Pages Print Resolution (dpi) 600 x 600 Standard Page Description Languages UFR II **Double-Sided Printing** Automatic (Standard) Direct Print Available from USB Memory (JPEG, TIFF, PDF) Printing from Mobile and Cloud-based Services^{5,6} Apple[®] AirPrint[®], Canon PRINT Business, Mopria™ Print Service

Copy Specifications

Copy Speed Up to 35 ppm (Letter); Up to 22.9 ppm (Legal) First-Copy-Out Time (Letter) Platen: 8.1 seconds/9.2 seconds (BW/Color) ADF: 7.4 seconds/8.6 seconds (BW/Color) Copy Resolution (dpi) 600 x 600 Copy Size Platen: Up to Letter ADF: Up to Legal **Multiple Copies** Up to 999 Copies Magnification

25% - 400% (1% Increments) **Preset Reductions**

25%, 50%, 64%, 78% Preset Enlargements

129%, 200%, 400%

Copy Features

Paper Setting, Favorite Setting, Two-sided, Original Type Selection, Cancel, N-on-1, Density Adjustment, Sharpness, Erase Frame, Collate, Copy ID Card

Scan Specifications

Type

Automatic Document Feeder

Document Feeder Paper Capacity 50 Sheets (20 lb. Bond)

Document Feeder Supported Media Sizes

Legal, Letter, Statement

Document Feeder Supported Media Weights 13-28 lb. Bond (50-105 g/m²)

Platen Acceptable Originals Sheet, Book

Pull Scan

ScanGear MF for TWAIN, and WIA

Scan Resolution (dpi)

Push Scan: Up to 300 x 600 Up to 600 x 600 Pull Scan:

Scan-to-Mobile Devices Canon PRINT Business

Scan Speed (Letter)

Single-sided: 40/50 ipm (300 x 600 dpi) (Color/BW)

Memory Media

Standard USB Memory (JPEG, TIFF, PDF)

Security Specifications

| Authentication | | |
|----------------|--|--|
| Standard: | Department ID Authentication | |
| Network | | |
| Standard: | TLS1.3, IPsec, IEEE802.1X authentication, SNMPv3, Firewall Functionality (IP/MAC Address Filtering), Enabling/Disabling (Network Applications, Remote UI, USB Interface), USB Port separation from LAN | |
| Document | | |
| Standard: | Print Security (Secure Print, Encrypted Secure Print), Scan Security (Encrypted PDF, Device Signature PDF/XPS), | |
| Wi-Fi Authen | tication Methods | |
| Wi-Fi | 128(104)/64(40) bit WEP, WPA-PSK | |
| Infrastructure | (TKIP/AES-CCMP), WPA2-PSK | |
| Mode: | (TKIP/AES-CCMP), WPA-EAP | |
| | (AES-CCMP), WPA2-EAP (AES-CCMP) | |
| Wi-Fi | | |

Access Point: WPA2-PSK (AES-CCMP)

Environmental Specifications

Operating Environment

Temperature: 50 to 86 °F 20 to 80% RH (no condensation) Humidity:

Power Requirements AC110-127V: 6.6A. 60 Hz

Power Consumption

Maximum: Approx. 1610 W Standby: Approx. 24 W Sleep Mode: Approx. 1 W Typical 0.34 kWh Electricity Consumption (TEC) Rating:

Standards

ENERGY STAR[®] Qualified, Rated EPEAT Silver⁹

CONFIGURATION AND ACCESSORIES





| OPTIONAL CASSETTE PF-K1 Item: 5693C001 | |
|--|--|

Extended Service Plans Available For Purchase

Canon eCarePAK (Exchange/Carry-In)

Canon extended service plans extend standard three-year limited warranty² support to cover an additional one or two years.

One-Year: 5707B046 Two-Year: 5707B047

If service is required, you may receive a replacement model⁷ via advanced exchange. In this case, you'll be instructed to return the malfunctioning unit to Canon in the replacement packaging, which also includes a prepaid shipping label. Or you may choose to carry your existing equipment to a local Authorized service facility for repair.

GENUINE® CONSUMABLES

Always look for the Canon anticounterfeiting hologram on your Canon GENUINE product packaging.



069 H

| Cartridge | ltem No. | Yield |
|---------------|----------|-------------|
| 069 Cyan | 5093C001 | 1,900 Pages |
| 069 Magenta | 5092C001 | 1,900 Pages |
| 069 Yellow | 5091C001 | 1,900 Pages |
| 069 Black | 5094C001 | 2,100 Pages |
| 069 H Cyan | 5097C001 | 5,500 Pages |
| 069 H Magenta | 5096C001 | 5,500 Pages |
| 069 H Yellow | 5095C001 | 5,500 Pages |
| 069 H Black | 5098C001 | 7,600 Pages |

Use of Canon GENUINE toner cartridges helps provide longer equipment life, high yields, reliable performance, high-quality output, and minimal jamming or issues.

1 Print speed is based on internal testing. Print speed may vary, depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

- ² Warranty program is subject to certain conditions and restrictions. See warranty card for details.
- ³ Letter, 20 lb. Bond, 250-sheet Paper Cassette, 50-sheet Stack Bypass, 550-sheet Paper Cassette (Cassette Unit PF-K1).
- ⁴ Wireless printing requires a working network with wireless 802.11b/g or 802.11n capability. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- ⁵ Canon PRINT Business is a free app available on the App Store[®] and Google Play[®] Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.
- ⁶ Subscription to a third-party cloud service is required and subject to third party terms and conditions.
- 7 Replacement model may be new or refurbished quality.
- 8 Includes consumables
- 9 For latest EPEAT ratings (Gold/Silver/Bronze), please visit: http://www.epeat.net.





usa.canon.com

Wi-Fi is a registered trademark of the Wi-Fi Alliance®. As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of these features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own gualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors

©2023 Canon U.S.A., Inc. All rights reserved.





